


Fișă tehnică | Număr articol: 832-543

center locking with strain relief; Pin spacing 10.16 mm; orange

www.wago.com/832-543



Date

Electrical data

Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per

UL 1059

Connection data

Pole No.

3

Number of connection types

1

Geometrical Data

Width

30.4 mm

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Mechanical data

Suitable for 1-conductor male and female connectors

Material Data

Color orange

Weight 4,6 g

Commercial data

Packaging type BOX

Country of origin DE

GTIN 4055143960755

Customs tariff number 39269097900

Counterpart

Descărcări

Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
3,6 MB

Descărcare

Installation Notes

Assembly



Locking lever for field assembly


Assembly

Supus modificărilor.



Locking lever for field assembly

Assembly



Locking lever for field assembly

Supus modificărilor.