

Date

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III/2)	400 V
Rated surge voltage (III/2)	4 kV
Rated current	18 A
Legend (ratings)	(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per	UL 1059
---------------	---------

Connection data

Connection technology	PUSH WIRE®
Solid conductor	0,5 ... 1,5 mm <sup>2</sup> / 20 ... 16 AWG

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Strip length	8 ... 9 mm / 0.31 ... 0.35 inch
Pole No.	1
Solid conductor 2	0,5 ... 2,5 mm <sup>2</sup> / 20 ... 14 AWG
Total number of connection points	4
Total number of potentials	1
Number of connection types	1

### Geometrical Data

Width	8,5 mm / 0.335 inch
Height	19 mm / 0.748 inch
Depth	24,5 mm / 0.965 inch

### Material Data


Fire load	0,113 MJ
Weight	3,1 g

### Commercial data


Packaging type	bag
Country of origin	DE
GTIN	4044918439497
Customs tariff number	85369010000

### Aprobări / certificate

#### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CSA DEKRA Certification B.V.	C22.2 No. 158	70048844

#### UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	UR Underwriters Laboratories Inc.	UL 1059	20190731- E45172

Supus modificărilor.

## Counterpart

## Produse compatibile

### tools



**Nr. articol: 249-100**

Operating tool; for terminal blocks with snap-in ground contact

[www.wago.com/249-100](http://www.wago.com/249-100)

### ferrule



**Nr. articol: 209-151**

Pin terminals; insulated; suitable for 271 and 272 Series; green

[www.wago.com/209-151](http://www.wago.com/209-151)



**Nr. articol: 209-157**

Pin terminals; insulated; suitable for 271 and 272 Series; blue

[www.wago.com/209-157](http://www.wago.com/209-157)



**Nr. articol: 209-164**

Pin terminals; insulated; suitable for 271 and 272 Series; natural

[www.wago.com/209-164](http://www.wago.com/209-164)

## Descărcări

### Documentation

#### Additional Information

Technical explanations

Apr 3, 2019

pdf  
3,6 MB

Descărcare

## Installation Notes

Supus modificărilor.