



Fișă tehnică | Număr articol: 2022-2234

1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; N/N; with marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; Push-in CAGE CLAMP®; 2,50 mm²; blue

www.wago.com/2022-2234



RoHS Compliant

BOMcheck.net

Culoare: ■

Date

Electrical data

Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60947-7-1
Nominal voltage (III/3)	690 V
Rated surge voltage (III/3)	6 kV
Rated current	24 A
Rated current 2	28 A
Legend (ratings)	(III / 3) ± Overvoltage category III / Pollution degree 3

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Connection data

Connection technology	Push-in CAGE CLAMP®
Actuation type	Open Tool Slot Push-in
Connectable conductor materials	Copper
Nominal cross-section	2.5 mm ²
Solid conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Solid conductor; push-in termination	0.75 ... 4 mm ² / 18 ... 12 AWG
Fine-stranded conductor	0.25 ... 4 mm ² / 22 ... 12 AWG
Fine-stranded conductor; with insulated ferrule	1 ... 2.5 mm ² / 18 ... 12 AWG
Fine-stranded conductor; with ferrule; push-in termination	1 ... 2.5 mm ² / 18 ... 12 AWG
Strip length	10 ... 12 mm / 0.39 ... 0.47 inch
Total number of connection points	2
Total number of potentials	2
Number of levels	2
Wiring type	Front-entry wiring
Note (conductor cross-section)	Depending on the conductor characteristic, a conductor with a smaller cross section can also be inserted via push-in termination.

Geometrical Data

Width	5.2 mm / 0.205 inch
Height from upper-edge of DIN-rail	61.4 mm / 2.417 inch
Depth	80.1 mm / 3.154 inch

Mechanical data

Design	horizontal
Mounting type	DIN-35 rail
Potential marking	N/N
Marking level	Side marking

Material Data

Color	blue
Insulation material	Polyamide 66 (PA 66)
Fire load	0,259 MJ
Weight	11,9 g




Supus modificărilor.

Commercial data




Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	CN
GTIN	4055143265782
Customs tariff number	85366990990

Aprobări / certificate

Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7628
	CSA DEKRA Certification B.V.	C22.2 No. 158	2437422
	KEMA/KEUR DEKRA Certification B.V.	EN 61984	71- 101201

Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	ABS American Bureau of Shipping	EN 60947	20- HG1941090- PDA
	BV Bureau Veritas S.A.	EN 60947	38586/A0 BV
	DNV GL Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2
	LR Lloyds Register	EN 60947	91/20112 (E9)


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.








UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Counterpart

Produse compatibile
















General accessories

	Nr. articol: 2022-161 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-161
	Nr. articol: 2022-162 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-162
	Nr. articol: 2022-164 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-164
	Nr. articol: 2022-167 Start module for 1-conductor female connector; with integrated end plate; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-167
	Nr. articol: 2022-171 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-171

















Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com















Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2022-172 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-172
	Nr. articol: 2022-174 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-174
	Nr. articol: 2022-177 Center module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-177
	Nr. articol: 2022-181 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-181
	Nr. articol: 2022-182 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-182
	Nr. articol: 2022-184 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-184
	Nr. articol: 2022-187 End module for 1-conductor female connector; 2.5 mm ² ; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-187
ferrule		
	Nr. articol: 216-241 Ferrule; Sleeve for 0.5 mm ² / 20 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; white	www.wago.com/216-241
	Nr. articol: 216-242 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-242
	Nr. articol: 216-243 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-243
	Nr. articol: 216-244 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-244
	Nr. articol: 216-246 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-246
	Nr. articol: 216-262 Ferrule; Sleeve for 0.75 mm ² / 18 AWG; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; gray	www.wago.com/216-262
	Nr. articol: 216-263 Ferrule; Sleeve for 1 mm ² / AWG 18; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	www.wago.com/216-263
	Nr. articol: 216-264 Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-264
	Nr. articol: 216-266 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-266
	Nr. articol: 216-284	

Supus modificărilor.

	Ferrule; Sleeve for 1.5 mm ² / AWG 16; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; black	www.wago.com/216-284
	Nr. articol: 216-286 Ferrule; Sleeve for 2.5 mm ² / AWG 14; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; blue	www.wago.com/216-286
Carrier rail		
	Nr. articol: 210-112 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm	www.wago.com/210-112
	Nr. articol: 210-113 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715	www.wago.com/210-113
	Nr. articol: 210-114 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715	www.wago.com/210-114
	Nr. articol: 210-115 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm	www.wago.com/210-115
	Nr. articol: 210-118 Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	www.wago.com/210-118
	Nr. articol: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored	www.wago.com/210-196
	Nr. articol: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	www.wago.com/210-197
	Nr. articol: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored	www.wago.com/210-198
	Nr. articol: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	www.wago.com/210-504
	Nr. articol: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	www.wago.com/210-505
	Nr. articol: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	www.wago.com/210-506
	Nr. articol: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	www.wago.com/210-508
Jumper		
	Nr. articol: 2002-400 Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current 25 A; light gray	www.wago.com/2002-400
	Nr. articol: 2002-402 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; light gray	www.wago.com/2002-402

Supus modificărilor.

	Nr. articol: 2002-402/000-005 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; red	www.wago.com/2002-402/000-005
	Nr. articol: 2002-402/000-006 Push-in type jumper bar; insulated; 2-way; Nominal current 25 A; blue	www.wago.com/2002-402/000-006
	Nr. articol: 2002-403 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; light gray	www.wago.com/2002-403
	Nr. articol: 2002-403/000-005 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; red	www.wago.com/2002-403/000-005
	Nr. articol: 2002-403/000-006 Push-in type jumper bar; insulated; 3-way; Nominal current 25 A; blue	www.wago.com/2002-403/000-006
	Nr. articol: 2002-404 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; light gray	www.wago.com/2002-404
	Nr. articol: 2002-404/000-005 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; red	www.wago.com/2002-404/000-005
	Nr. articol: 2002-404/000-006 Push-in type jumper bar; insulated; 4-way; Nominal current 25 A; blue	www.wago.com/2002-404/000-006
	Nr. articol: 2002-405 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; light gray	www.wago.com/2002-405
	Nr. articol: 2002-405/000-005 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; red	www.wago.com/2002-405/000-005
	Nr. articol: 2002-405/000-006 Push-in type jumper bar; insulated; 5-way; Nominal current 25 A; blue	www.wago.com/2002-405/000-006
	Nr. articol: 2002-405/011-000 Star point jumper; insulated; 3-way (1-3-5); IN = IN terminal block; light gray	www.wago.com/2002-405/011-000
	Nr. articol: 2002-406 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; light gray	www.wago.com/2002-406
	Nr. articol: 2002-406/000-005 Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; red	www.wago.com/2002-406/000-005

Supus modificărilor.



Nr. articol: 2002-406/000-006
Push-in type jumper bar; insulated; 6-way; Nominal current 25 A; blue

www.wago.com/2002-406/000-006



Nr. articol: 2002-406/020-000
Delta jumper; insulated; 1-2 3-4 5-6; IN = IN terminal block; light gray

www.wago.com/2002-406/020-000



Nr. articol: 2002-407
Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; light gray

www.wago.com/2002-407



Nr. articol: 2002-407/000-005
Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; red

www.wago.com/2002-407/000-005



Nr. articol: 2002-407/000-006
Push-in type jumper bar; insulated; 7-way; Nominal current 25 A; blue

www.wago.com/2002-407/000-006



Nr. articol: 2002-408
Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; light gray

www.wago.com/2002-408



Nr. articol: 2002-408/000-005
Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; red

www.wago.com/2002-408/000-005



Nr. articol: 2002-408/000-006
Push-in type jumper bar; insulated; 8-way; Nominal current 25 A; blue

www.wago.com/2002-408/000-006



Nr. articol: 2002-409
Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; light gray

www.wago.com/2002-409



Nr. articol: 2002-409/000-005
Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; red

www.wago.com/2002-409/000-005



Nr. articol: 2002-409/000-006
Push-in type jumper bar; insulated; 9-way; Nominal current 25 A; blue

www.wago.com/2002-409/000-006



Nr. articol: 2002-410
Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; light gray

www.wago.com/2002-410



Nr. articol: 2002-410/000-005
Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; red

www.wago.com/2002-410/000-005


















Nr. articol: 2002-410/000-006
Push-in type jumper bar; insulated; 10-way; Nominal current 25 A; blue

www.wago.com/2002-410/000-006

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com













Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2002-423 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; light gray	www.wago.com/2002-423
	Nr. articol: 2002-423/000-005 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; red	www.wago.com/2002-423/000-005
	Nr. articol: 2002-423/000-006 Adjacent jumper for continuous commoning; insulated; from 1 to 3; Nominal current 25 A; blue	www.wago.com/2002-423/000-006
	Nr. articol: 2002-433 Push-in type jumper bar; insulated; from 1 to 3; Nominal current 25 A; light gray	www.wago.com/2002-433
	Nr. articol: 2002-434 Push-in type jumper bar; insulated; from 1 to 4; Nominal current 25 A; light gray	www.wago.com/2002-434
	Nr. articol: 2002-435 Push-in type jumper bar; insulated; from 1 to 5; Nominal current 25 A; light gray	www.wago.com/2002-435
	Nr. articol: 2002-436 Push-in type jumper bar; insulated; from 1 to 6; Nominal current 25 A; light gray	www.wago.com/2002-436
	Nr. articol: 2002-437 Push-in type jumper bar; insulated; from 1 to 7; Nominal current 25 A; light gray	www.wago.com/2002-437
	Nr. articol: 2002-438 Push-in type jumper bar; insulated; from 1 to 8; Nominal current 25 A; light gray	www.wago.com/2002-438
	Nr. articol: 2002-439 Push-in type jumper bar; insulated; from 1 to 9; Nominal current 25 A; light gray	www.wago.com/2002-439
	Nr. articol: 2002-440 Push-in type jumper bar; insulated; from 1 to 10; Nominal current 25 A; light gray	www.wago.com/2002-440
	Nr. articol: 2002-472 Staggered jumper; insulated; 2-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-472
	Nr. articol: 2002-473 Staggered jumper; insulated; 3-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-473
	Nr. articol: 2002-473/011-000 Ready-made staggered jumper; insulated; 2-way (1-3); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-473/011-000
	Nr. articol: 2002-474 Staggered jumper; insulated; 4-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-474
	Nr. articol: 2002-475 Staggered jumper; insulated; 5-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-475

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.






	Nr. articol: 2002-475/011-000 Ready-made staggered jumper; insulated; 3-way (1-3-5); Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-475/011-000
	Nr. articol: 2002-476 Staggered jumper; insulated; 6-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-476
	Nr. articol: 2002-477 Staggered jumper; insulated; 7-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-477
	Nr. articol: 2002-477/011-000 Ready-made staggered jumper; insulated; 1-3-5-7; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-477/011-000
	Nr. articol: 2002-478 Staggered jumper; insulated; 8-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-478
	Nr. articol: 2002-479 Staggered jumper; insulated; 9-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-479
	Nr. articol: 2002-479/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-479/011-000
	Nr. articol: 2002-480 Staggered jumper; insulated; 10-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-480
	Nr. articol: 2002-481 Staggered jumper; insulated; 11-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-481
	Nr. articol: 2002-481/011-000 Ready-made staggered jumper; insulated; 1-3-5-7-9-11; Nominal current 25 A; with contact lugs broken off at the factory and circuit marking; light gray	www.wago.com/2002-481/011-000
	Nr. articol: 2002-482 Staggered jumper; insulated; 12-way; Nominal current 25 A; suitable for 2002 and 2003 Series rail-mounted terminal blocks; light gray	www.wago.com/2002-482
	Nr. articol: 2002-492 Double-deck vertical jumper; insulated; light gray	www.wago.com/2002-492
	Nr. articol: 2002-492/000-012 Double-deck vertical jumper; insulated; orange	www.wago.com/2002-492/000-012
	Nr. articol: 210-103 Wire commoning chain; insulated; 50 connections; black	www.wago.com/210-103
	Nr. articol: 210-123 Wire commoning chain; insulated; 50 connections	www.wago.com/210-123

Female plug










Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com










Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2022-101 1-conductor female plug; 2.5 mm ² ; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-101
	Nr. articol: 2022-101/000-006 1-conductor female plug; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/000-006
	Nr. articol: 2022-101/000-012 1-conductor female plug; 1-pole; 2,50 mm ² ; orange	www.wago.com/2022-101/000-012
	Nr. articol: 2022-101/000-016 1-conductor female plug; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/000-016
	Nr. articol: 2022-101/122-000 1-conductor female plug; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-101/122-000
	Nr. articol: 2022-101/122-006 1-conductor female plug; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/122-006
	Nr. articol: 2022-101/122-016 1-conductor female plug; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/122-016
	Nr. articol: 2022-101/132-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-101/132-000
	Nr. articol: 2022-101/132-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/132-006
	Nr. articol: 2022-101/132-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/132-016
	Nr. articol: 2022-101/142-000 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; gray	www.wago.com/2022-101/142-000
	Nr. articol: 2022-101/142-006 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; blue	www.wago.com/2022-101/142-006
	Nr. articol: 2022-101/142-016 1-conductor female plug; Strain relief plate; 1-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-101/142-016
	Nr. articol: 2022-102 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102

Supus modificărilor.

	Nr. articol: 2022-102/000-006 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; blue	www.wago.com/2022-102/000-006
	Nr. articol: 2022-102/000-016 1-conductor female plug; 2.5 mm ² ; 2-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-102/000-016
	Nr. articol: 2022-102/122-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/122-000
	Nr. articol: 2022-102/132-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/132-000
	Nr. articol: 2022-102/142-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 2-pole; 2,50 mm ² ; gray	www.wago.com/2022-102/142-000
	Nr. articol: 2022-103 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103
	Nr. articol: 2022-103/000-006 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; blue	www.wago.com/2022-103/000-006
	Nr. articol: 2022-103/000-016 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-103/000-016
	Nr. articol: 2022-103/000-036 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-103/000-036
	Nr. articol: 2022-103/000-037 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-103/000-037
	Nr. articol: 2022-103/000-038 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-103/000-038
	Nr. articol: 2022-103/000-039 1-conductor female plug; 2.5 mm ² ; 3-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-103/000-039
	Nr. articol: 2022-103/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/123-000
	Nr. articol: 2022-103/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/133-000

Supus modificărilor.

	Nr. articol: 2022-103/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 3-pole; 2,50 mm ² ; gray	www.wago.com/2022-103/143-000
	Nr. articol: 2022-104 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104
	Nr. articol: 2022-104/000-006 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; blue	www.wago.com/2022-104/000-006
	Nr. articol: 2022-104/000-016 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-104/000-016
	Nr. articol: 2022-104/000-036 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-104/000-036
	Nr. articol: 2022-104/000-037 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-104/000-037
	Nr. articol: 2022-104/000-038 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-104/000-038
	Nr. articol: 2022-104/000-039 1-conductor female plug; 2.5 mm ² ; 4-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-104/000-039
	Nr. articol: 2022-104/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/123-000
	Nr. articol: 2022-104/133-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/133-000
	Nr. articol: 2022-104/143-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 4-pole; 2,50 mm ² ; gray	www.wago.com/2022-104/143-000
	Nr. articol: 2022-105 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; gray	www.wago.com/2022-105
	Nr. articol: 2022-105/000-006 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; blue	www.wago.com/2022-105/000-006
	Nr. articol: 2022-105/000-016 1-conductor female plug; 2.5 mm ² ; 5-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-105/000-016












Supus modificărilor.

**Nr. articol: 2022-105/000-036**1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-105/000-036**Nr. articol: 2022-105/000-037**1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-105/000-037**Nr. articol: 2022-105/000-038**1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-105/000-038**Nr. articol: 2022-105/000-039**1-conductor female plug; 2.5 mm²; 5-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-105/000-039**Nr. articol: 2022-105/123-000**1-conductor female plug; Locking lever; 2.5 mm²; 5-pole; 2,50 mm²; graywww.wago.com/2022-105/123-000**Nr. articol: 2022-105/134-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole; 2,50 mm²; graywww.wago.com/2022-105/134-000**Nr. articol: 2022-105/144-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 5-pole; 2,50 mm²; graywww.wago.com/2022-105/144-000**Nr. articol: 2022-106**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106**Nr. articol: 2022-106/000-006**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; bluewww.wago.com/2022-106/000-006**Nr. articol: 2022-106/000-016**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellowwww.wago.com/2022-106/000-016**Nr. articol: 2022-106/000-036**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-106/000-036**Nr. articol: 2022-106/000-037**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-106/000-037**Nr. articol: 2022-106/000-038**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-106/000-038











Supus modificărilor.

**Nr. articol: 2022-106/000-039**1-conductor female plug; 2.5 mm²; 6-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-106/000-039**Nr. articol: 2022-106/123-000**1-conductor female plug; Locking lever; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/123-000**Nr. articol: 2022-106/134-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/134-000**Nr. articol: 2022-106/144-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 6-pole; 2,50 mm²; graywww.wago.com/2022-106/144-000**Nr. articol: 2022-107**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107**Nr. articol: 2022-107/000-006**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; bluewww.wago.com/2022-107/000-006**Nr. articol: 2022-107/000-016**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellowwww.wago.com/2022-107/000-016**Nr. articol: 2022-107/000-036**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-107/000-036**Nr. articol: 2022-107/000-037**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-107/000-037**Nr. articol: 2022-107/000-038**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-107/000-038**Nr. articol: 2022-107/000-039**1-conductor female plug; 2.5 mm²; 7-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-107/000-039**Nr. articol: 2022-107/123-000**1-conductor female plug; Locking lever; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/123-000**Nr. articol: 2022-107/135-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/135-000**Nr. articol: 2022-107/145-000**1-conductor female plug; Strain relief plate; 2.5 mm²; 7-pole; 2,50 mm²; graywww.wago.com/2022-107/145-000









Supus modificărilor.

	Nr. articol: 2022-108 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108
	Nr. articol: 2022-108/000-006 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; blue	www.wago.com/2022-108/000-006
	Nr. articol: 2022-108/000-016 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-108/000-016
	Nr. articol: 2022-108/000-036 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-108/000-036
	Nr. articol: 2022-108/000-037 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-108/000-037
	Nr. articol: 2022-108/000-038 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-108/000-038
	Nr. articol: 2022-108/000-039 1-conductor female plug; 2.5 mm ² ; 8-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-108/000-039
	Nr. articol: 2022-108/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/123-000
	Nr. articol: 2022-108/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/135-000
	Nr. articol: 2022-108/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 8-pole; 2,50 mm ² ; gray	www.wago.com/2022-108/145-000
	Nr. articol: 2022-109 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109
	Nr. articol: 2022-109/000-006 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; blue	www.wago.com/2022-109/000-006
	Nr. articol: 2022-109/000-016 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-109/000-016
	Nr. articol: 2022-109/000-036 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-109/000-036

Supus modificărilor.

	Nr. articol: 2022-109/000-037 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-109/000-037
	Nr. articol: 2022-109/000-038 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-109/000-038
	Nr. articol: 2022-109/000-039 1-conductor female plug; 2.5 mm ² ; 9-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-109/000-039
	Nr. articol: 2022-109/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/123-000
	Nr. articol: 2022-109/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/135-000
	Nr. articol: 2022-109/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 9-pole; 2,50 mm ² ; gray	www.wago.com/2022-109/145-000
	Nr. articol: 2022-110 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110
	Nr. articol: 2022-110/000-006 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; blue	www.wago.com/2022-110/000-006
	Nr. articol: 2022-110/000-016 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-110/000-016
	Nr. articol: 2022-110/000-036 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-110/000-036
	Nr. articol: 2022-110/000-037 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-110/000-037
	Nr. articol: 2022-110/000-038 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-110/000-038
	Nr. articol: 2022-110/000-039 1-conductor female plug; 2.5 mm ² ; 10-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-110/000-039

Supus modificărilor.

	Nr. articol: 2022-110/123-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/123-000
	Nr. articol: 2022-110/135-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/135-000
	Nr. articol: 2022-110/145-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 10-pole; 2,50 mm ² ; gray	www.wago.com/2022-110/145-000
	Nr. articol: 2022-111 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111
	Nr. articol: 2022-111/000-006 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; blue	www.wago.com/2022-111/000-006
	Nr. articol: 2022-111/000-016 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-111/000-016
	Nr. articol: 2022-111/000-036 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-111/000-036
	Nr. articol: 2022-111/000-037 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-111/000-037
	Nr. articol: 2022-111/000-038 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-111/000-038
	Nr. articol: 2022-111/000-039 1-conductor female plug; 2.5 mm ² ; 11-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-111/000-039
	Nr. articol: 2022-111/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/126-000
	Nr. articol: 2022-111/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/136-000
	Nr. articol: 2022-111/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 11-pole; 2,50 mm ² ; gray	www.wago.com/2022-111/146-000
	Nr. articol: 2022-112 1-conductor female plug; 2.5 mm ² ; 12-pole; 2,50 mm ² ; gray	www.wago.com/2022-112

Supus modificărilor.

**Nr. articol:** 2022-112/000-0061-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; bluewww.wago.com/2022-112/000-006**Nr. articol:** 2022-112/000-0161-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellowwww.wago.com/2022-112/000-016**Nr. articol:** 2022-112/000-0361-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-112/000-036**Nr. articol:** 2022-112/000-0371-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, graywww.wago.com/2022-112/000-037**Nr. articol:** 2022-112/000-0381-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; gray, blue, green-yellowwww.wago.com/2022-112/000-038**Nr. articol:** 2022-112/000-0391-conductor female plug; 2.5 mm²; 12-pole; 2,50 mm²; green-yellow, blue, graywww.wago.com/2022-112/000-039**Nr. articol:** 2022-112/126-0001-conductor female plug; Locking lever; 2.5 mm²; 12-pole; 2,50 mm²; graywww.wago.com/2022-112/126-000**Nr. articol:** 2022-112/136-0001-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm²; graywww.wago.com/2022-112/136-000**Nr. articol:** 2022-112/146-0001-conductor female plug; Strain relief plate; 2.5 mm²; 12-pole; 2,50 mm²; graywww.wago.com/2022-112/146-000**Nr. articol:** 2022-1131-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; graywww.wago.com/2022-113**Nr. articol:** 2022-113/000-0061-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; bluewww.wago.com/2022-113/000-006**Nr. articol:** 2022-113/000-0161-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellowwww.wago.com/2022-113/000-016**Nr. articol:** 2022-113/000-0361-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, green-yellowwww.wago.com/2022-113/000-036

Supus modificărilor.



Nr. articol: 2022-113/000-037

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-113/000-037



Nr. articol: 2022-113/000-038

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-113/000-038



Nr. articol: 2022-113/000-039

1-conductor female plug; 2.5 mm²; 13-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-113/000-039

Nr. articol: 2022-113/126-000

1-conductor female plug; Locking lever; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/126-000

Nr. articol: 2022-113/136-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/136-000

Nr. articol: 2022-113/146-000

1-conductor female plug; Strain relief plate; 2.5 mm²; 13-pole; 2,50 mm²; gray

www.wago.com/2022-113/146-000



Nr. articol: 2022-114

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray

www.wago.com/2022-114



Nr. articol: 2022-114/000-006

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; blue

www.wago.com/2022-114/000-006



Nr. articol: 2022-114/000-016

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow

www.wago.com/2022-114/000-016



Nr. articol: 2022-114/000-036

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, green-yellow

www.wago.com/2022-114/000-036



Nr. articol: 2022-114/000-037

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, gray

www.wago.com/2022-114/000-037



Nr. articol: 2022-114/000-038

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; gray, blue, green-yellow

www.wago.com/2022-114/000-038










Nr. articol: 2022-114/000-039

1-conductor female plug; 2.5 mm²; 14-pole; 2,50 mm²; green-yellow, blue, gray

www.wago.com/2022-114/000-039

Supus modificărilor.















	Nr. articol: 2022-114/126-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	www.wago.com/2022-114/126-000
	Nr. articol: 2022-114/136-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	www.wago.com/2022-114/136-000
	Nr. articol: 2022-114/146-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 14-pole; 2,50 mm ² ; gray	www.wago.com/2022-114/146-000
	Nr. articol: 2022-115 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115
	Nr. articol: 2022-115/000-006 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; blue	www.wago.com/2022-115/000-006
	Nr. articol: 2022-115/000-016 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow	www.wago.com/2022-115/000-016
	Nr. articol: 2022-115/000-036 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray, green-yellow	www.wago.com/2022-115/000-036
	Nr. articol: 2022-115/000-037 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, gray	www.wago.com/2022-115/000-037
	Nr. articol: 2022-115/000-038 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray, blue, green-yellow	www.wago.com/2022-115/000-038
	Nr. articol: 2022-115/000-039 1-conductor female plug; 2.5 mm ² ; 15-pole; 2,50 mm ² ; green-yellow, blue, gray	www.wago.com/2022-115/000-039
	Nr. articol: 2022-115/127-000 1-conductor female plug; Locking lever; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/127-000
	Nr. articol: 2022-115/137-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/137-000
	Nr. articol: 2022-115/147-000 1-conductor female plug; Strain relief plate; 2.5 mm ² ; 15-pole; 2,50 mm ² ; gray	www.wago.com/2022-115/147-000

Marking accessories

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com















Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2009-110 Marking strips; on reel; not stretchable; plain; snap-on type; white	www.wago.com/2009-110
	Nr. articol: 2009-115 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-115
	Nr. articol: 2009-115/000-002 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-115 /000-002
	Nr. articol: 2009-115/000-006 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-115 /000-006
	Nr. articol: 2009-115/000-007 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-115 /000-007
	Nr. articol: 2009-115/000-012 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-115 /000-012
	Nr. articol: 2009-115/000-017 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green	www.wago.com/2009-115 /000-017
	Nr. articol: 2009-115/000-023 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-115 /000-023
	Nr. articol: 2009-115/000-024 WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-115 /000-024
	Nr. articol: 2009-145 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white	www.wago.com/2009-145
	Nr. articol: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow	www.wago.com/2009-145 /000-002
	Nr. articol: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red	www.wago.com/2009-145 /000-005
	Nr. articol: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue	www.wago.com/2009-145 /000-006
	Nr. articol: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray	www.wago.com/2009-145 /000-007

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange	www.wago.com/2009-145/000-012
	Nr. articol: 2009-145/000-023 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green	www.wago.com/2009-145/000-023
	Nr. articol: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet	www.wago.com/2009-145/000-024
	Nr. articol: 2009-198 Adaptor	www.wago.com/2009-198
	Nr. articol: 248-501 Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card	www.wago.com/248-501
	Nr. articol: 248-501/000-002 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow	www.wago.com/248-501/000-002
	Nr. articol: 248-501/000-005 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red	www.wago.com/248-501/000-005
	Nr. articol: 248-501/000-006 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue	www.wago.com/248-501/000-006
	Nr. articol: 248-501/000-007 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray	www.wago.com/248-501/000-007
	Nr. articol: 248-501/000-012 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange	www.wago.com/248-501/000-012
	Nr. articol: 248-501/000-017 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green	www.wago.com/248-501/000-017
	Nr. articol: 248-501/000-023 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green	www.wago.com/248-501/000-023
	Nr. articol: 248-501/000-024 Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet	www.wago.com/248-501/000-024
	Nr. articol: 793-501 WMB marking card; as card; not stretchable; plain; snap-on type; white	www.wago.com/793-501

Supus modificărilor.



Nr. articol: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type; yellow

www.wago.com/793-501/000-002



Nr. articol: 793-501/000-005
WMB marking card; as card; not stretchable; plain; snap-on type; red

www.wago.com/793-501/000-005



Nr. articol: 793-501/000-006
WMB marking card; as card; not stretchable; plain; snap-on type; blue

www.wago.com/793-501/000-006



Nr. articol: 793-501/000-007
WMB marking card; as card; not stretchable; plain; snap-on type; gray

www.wago.com/793-501/000-007



Nr. articol: 793-501/000-012
WMB marking card; as card; not stretchable; plain; snap-on type; orange

www.wago.com/793-501/000-012



Nr. articol: 793-501/000-017
WMB marking card; as card; not stretchable; plain; snap-on type; light green

www.wago.com/793-501/000-017



Nr. articol: 793-501/000-023
WMB marking card; as card; not stretchable; plain; snap-on type; green

www.wago.com/793-501/000-023



Nr. articol: 793-501/000-024
WMB marking card; as card; not stretchable; plain; snap-on type; violet

www.wago.com/793-501/000-024



Nr. articol: 793-5501
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

www.wago.com/793-5501



Nr. articol: 793-5501/000-002
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

www.wago.com/793-5501/000-002



Nr. articol: 793-5501/000-005
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

www.wago.com/793-5501/000-005



Nr. articol: 793-5501/000-006
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

www.wago.com/793-5501/000-006



Nr. articol: 793-5501/000-007
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

www.wago.com/793-5501/000-007



Nr. articol: 793-5501/000-012
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-

www.wago.com/793-5501/000-012

Supus modificărilor.

on type; orange



Nr. articol: 793-5501/000-017

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

www.wago.com/793-5501/000-017



Nr. articol: 793-5501/000-023

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

www.wago.com/793-5501/000-023



Nr. articol: 793-5501/000-024

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; violet

www.wago.com/793-5501/000-024

Protective Warning Marker



Nr. articol: 2002-115

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

www.wago.com/2002-115

Push-In type wire jumper



Nr. articol: 2009-412

Push-in type wire jumper; insulated; wire length 60 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-412



Nr. articol: 2009-414

Push-in type wire jumper; insulated; wire length 110 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-414



Nr. articol: 2009-416

Push-in type wire jumper; insulated; wire length 250 mm; Conductor cross section 1.5 mm²; suitable for 2001, 2002, 2003 and 2022 Series rail-mounted terminal blocks; black

www.wago.com/2009-416

Insulation stop



Nr. articol: 2002-171

Insulation stop; 0.25 - 0.5 mm²; 5 pieces/strip; light gray

www.wago.com/2002-171



Nr. articol: 2002-172

Insulation stop; 0.75 - 1 mm²; 5 pieces/strip; dark gray

www.wago.com/2002-172

tools



Nr. articol: 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

www.wago.com/210-720

End plate



Nr. articol: 2022-2291

End and intermediate plate; 1 mm thick; gray

www.wago.com/2022-2291



Nr. articol: 2022-2292

End and intermediate plate; 1 mm thick; orange

www.wago.com/2022-2292

Coding



Nr. articol: 2022-100

Carrier with 6 coding pins; for coding of female plugs; orange

www.wago.com/2022-100

Supus modificărilor.

Descărcări
Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 2022-2234

URL

Descărcare

CAE data

EPLAN Data Portal 2022-2234

URL

Descărcare


WSCAD Universe 2022-2234

URL

Descărcare

Installation Notes


Coding



Insert coding pin into the corresponding slot and twist it off.




Coding a female plug: remove coding finger using a suitable tool.



Insert coded female connector into X-COM®S-SYSTEM terminal block assembly.


Supus modificărilor.




1-conductor female plug

Double-deck carrier terminal blocks can be commoned via 2002 Series Push-In Type Jumper Bars and tested via 859-500 Test Pin.

Marking



Clear marking via large marking area



Group marking with height-adjustable group marker carrier (2009 163)

Familie de produse

X-COM S

Afișare globală produse din familie.

Supus modificărilor.