


## Fișă tehnică | Număr articol: 870-104

1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; N/N; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue

[www.wago.com/870-104](http://www.wago.com/870-104)



### Descriere articol

#### Safety information 1:

Max. insulation diameter: 4.4 mm

#### Safety information 2:

2-conductor female plugs cannot be used.

### Date

#### Electrical data

#### Ratings per IEC/EN 60664-1

|                             |   |
|-----------------------------|---|
| Nominal voltage (III/3)     | 500 V   |
| Rated surge voltage (III/3) | 6 kV  |
| Rated current               | 16 A  |
| Legend (ratings)            | (III / 3) ≙ Overvoltage category III / Pollution degree 3 |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



## Connection data

|                                   |  |
|-----------------------------------|--|
| Connection technology             | CAGE CLAMP®                                  |
| Actuation type                    | Open Tool Slot                               |
| Connectable conductor materials   | Copper                                       |
| Solid conductor                   | 0,08 ... 2,5 mm <sup>2</sup> / 28 ... 12 AWG |
| Fine-stranded conductor           | 0,08 ... 4 mm <sup>2</sup> / 28 ... 12 AWG   |
| Strip length                      | 6 ... 7 mm / 0.24 ... 0.28 inch              |
| Total number of connection points | 2  |
| Total number of potentials        | 2  |
| Number of levels                  | 2  |
| Wiring type                       | Front-entry wiring                           |

## Geometrical Data

|                                    |                    |
|------------------------------------|--------------------|
| Width                              | 5 mm / 0.197 inch  |
| Height from upper-edge of DIN-rail | 40 mm / 1.575 inch |
| Depth                              | 70 mm / 2.756 inch |

## Mechanical data

|                   |                 |
|-------------------|-----------------|
| Design            | horizontal type |
| Mounting type     | DIN-35 rail     |
| Potential marking | N/N             |
| Marking level     | Side marking    |

## Material Data

|           |          |
|-----------|----------|
| Color     | blue     |
| Fire load | 0,165 MJ |
| Weight    | 9,1 g    |

## Commercial data

|                       |               |
|-----------------------|---------------|
| Packaging type        | BOX           |
| Country of origin     | DE            |
| GTIN                  | 4045454004477 |
| Customs tariff number | 85369010000   |



## Aprobări / certificate

### Country specific Approvals



Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com


Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| Emblemă  | Aprobare                        | Text de aprobare suplimentar | Nume certificat |
|--|---------------------------------|------------------------------|-----------------|
|  | CCA<br>DEKRA Certification B.V. | EN 60947                     | 2189801.01      |
|  | CCA<br>DEKRA Certification B.V. | EN 60947                     | NTR NL<br>7468  |

## Ship Approvals

| Emblemă   | Aprobare                           | Text de aprobare suplimentar | Nume certificat          |
|---|------------------------------------|------------------------------|--------------------------|
|   | ABS<br>American Bureau of Shipping | -                            | 20-<br>HG1941090-<br>PDA |
|  | LR<br>Lloyds Register              | EN 60947                     | 91/20112<br>(E9)         |

## UL-Approvals

| Emblemă  | Aprobare                               | Text de aprobare suplimentar | Nume certificat     |
|--|--|------------------------------|---------------------|
|  | cURus<br>UL International Germany GmbH | UL 1059                      | 20160928-<br>E45172 |

## Counterpart















## Produse compatibile

Supus modificărilor.
















WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## General accessories

|  |  |  |
|--|--|--|
|    | <b>Nr. articol: 769-438</b><br>Pin cover; with marker slot for miniature WSB; gray   | <a href="http://www.wago.com/769-438">www.wago.com/769-438</a>                 |
|    | <b>Nr. articol: 769-439</b><br>Pin cover; with marker slot for miniature WSB; orange   | <a href="http://www.wago.com/769-439">www.wago.com/769-439</a>                 |
|    | <b>Nr. articol: 769-501</b><br>Start module for 1-conductor female connector; with integrated end plate; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray                 | <a href="http://www.wago.com/769-501">www.wago.com/769-501</a>                 |
|    | <b>Nr. articol: 769-501/000-006</b><br>Start module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                                    | <a href="http://www.wago.com/769-501/000-006">www.wago.com/769-501/000-006</a> |
|    | <b>Nr. articol: 769-501/000-016</b><br>Start module for 1-conductor female connector; with integrated end plate; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow | <a href="http://www.wago.com/769-501/000-016">www.wago.com/769-501/000-016</a> |
|    | <b>Nr. articol: 769-502</b><br>Center module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray   | <a href="http://www.wago.com/769-502">www.wago.com/769-502</a>                 |
|   | <b>Nr. articol: 769-502/000-006</b><br>Center module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                                   | <a href="http://www.wago.com/769-502/000-006">www.wago.com/769-502/000-006</a> |
|  | <b>Nr. articol: 769-502/000-016</b><br>Center module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow                           | <a href="http://www.wago.com/769-502/000-016">www.wago.com/769-502/000-016</a> |
|  | <b>Nr. articol: 769-503</b><br>End module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray  | <a href="http://www.wago.com/769-503">www.wago.com/769-503</a>                 |
|  | <b>Nr. articol: 769-503/000-006</b><br>End module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                                      | <a href="http://www.wago.com/769-503/000-006">www.wago.com/769-503/000-006</a> |
|  | <b>Nr. articol: 769-503/000-016</b><br>End module for 1-conductor female connector; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow                              | <a href="http://www.wago.com/769-503/000-016">www.wago.com/769-503/000-016</a> |
|  | <b>Nr. articol: 769-512</b><br>Start module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray                                    | <a href="http://www.wago.com/769-512">www.wago.com/769-512</a>                 |
|  | <b>Nr. articol: 769-512/000-006</b><br>Start module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                            | <a href="http://www.wago.com/769-512/000-006">www.wago.com/769-512/000-006</a> |
|  | <b>Nr. articol: 769-512/000-016</b><br>Start module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow                    | <a href="http://www.wago.com/769-512/000-016">www.wago.com/769-512/000-016</a> |

Supus modificărilor.

|  |   |  |
|--|---|--|
|    | <b>Nr. articol: 769-513</b><br>Center module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray                            | <a href="http://www.wago.com/769-513">www.wago.com/769-513</a>                 |
|    | <b>Nr. articol: 769-513/000-006</b><br>Center module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                    | <a href="http://www.wago.com/769-513/000-006">www.wago.com/769-513/000-006</a> |
|    | <b>Nr. articol: 769-513/000-016</b><br>Center module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow            | <a href="http://www.wago.com/769-513/000-016">www.wago.com/769-513/000-016</a> |
|    | <b>Nr. articol: 769-515</b><br>End module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray                               | <a href="http://www.wago.com/769-515">www.wago.com/769-515</a>                 |
|    | <b>Nr. articol: 769-515/000-006</b><br>End module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                       | <a href="http://www.wago.com/769-515/000-006">www.wago.com/769-515/000-006</a> |
|    | <b>Nr. articol: 769-515/000-016</b><br>End module for 1-conductor female connector; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow               | <a href="http://www.wago.com/769-515/000-016">www.wago.com/769-515/000-016</a> |
|    | <b>Nr. articol: 870-182</b><br>Adaptor; gray  | <a href="http://www.wago.com/870-182">www.wago.com/870-182</a>                 |
|   | <b>Nr. articol: 870-183</b><br>Adaptor; gray  | <a href="http://www.wago.com/870-183">www.wago.com/870-183</a>                 |
|  | <b>Nr. articol: 870-184</b><br>Adaptor; gray  | <a href="http://www.wago.com/870-184">www.wago.com/870-184</a>                 |
|  | <b>Nr. articol: 870-425</b><br>Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar; gray | <a href="http://www.wago.com/870-425">www.wago.com/870-425</a>                 |
|  | <b>Nr. articol: 870-426</b><br>Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar; gray                                | <a href="http://www.wago.com/870-426">www.wago.com/870-426</a>                 |
|  | <b>Nr. articol: 870-427</b><br>Spacer module; modular; bridging commoned terminal blocks; gray  | <a href="http://www.wago.com/870-427">www.wago.com/870-427</a>                 |
| <b>Insulation stop</b>   |   |  |
|  | <b>Nr. articol: 280-470</b><br>Insulation stop; 0.08 - 0.2 mm <sup>2</sup> "s" (0.14 mm <sup>2</sup> "f-st"); 5 pieces/strip; white                                       | <a href="http://www.wago.com/280-470">www.wago.com/280-470</a>                 |
|  | <b>Nr. articol: 280-471</b><br>Insulation stop; 0.25 - 0.5 mm <sup>2</sup> ; 5 pieces/strip; light gray   | <a href="http://www.wago.com/280-471">www.wago.com/280-471</a>                 |
|  | <b>Nr. articol: 280-472</b><br>Insulation stop; 0.75 - 1 mm <sup>2</sup> ; 5 pieces/strip   | <a href="http://www.wago.com/280-472">www.wago.com/280-472</a>                 |
| <b>Protective Warning Marker</b>   |   |  |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

**Nr. articol: 280-405**

Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks; yellow

[www.wago.com/280-405](http://www.wago.com/280-405)

## assembling

**Nr. articol: 209-106**

Mounting carrier; for isolated mounting on DIN 35 rails; gray

[www.wago.com/209-106](http://www.wago.com/209-106)

## Jumper

**Nr. articol: 210-103**

Wire commoning chain; insulated; 50 connections; black

[www.wago.com/210-103](http://www.wago.com/210-103)**Nr. articol: 709-110**

Wire commoning chain; insulated; 4 connections; 3 x 110 mm; black

[www.wago.com/709-110](http://www.wago.com/709-110)**Nr. articol: 709-111**

Wire commoning chain; insulated; 3 connections; 2 x 120 mm; black

[www.wago.com/709-111](http://www.wago.com/709-111)**Nr. articol: 709-112**

Wire commoning chain; insulated; 3 connections; 2 x 170 mm; black

[www.wago.com/709-112](http://www.wago.com/709-112)**Nr. articol: 870-402**

Push-in type jumper bar; insulated; 2-way; Nominal current 18 A; light gray

[www.wago.com/870-402](http://www.wago.com/870-402)**Nr. articol: 870-403**

Push-in type jumper bar; insulated; 3-way; Nominal current 18 A; light gray

[www.wago.com/870-403](http://www.wago.com/870-403)**Nr. articol: 870-404**

Push-in type jumper bar; insulated; 4-way; Nominal current 18 A; light gray

[www.wago.com/870-404](http://www.wago.com/870-404)**Nr. articol: 870-405**

Push-in type jumper bar; insulated; 5-way; Nominal current 18 A; light gray

[www.wago.com/870-405](http://www.wago.com/870-405)**Nr. articol: 870-405/011-000**

Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A; light gray

[www.wago.com/870-405/011-000](http://www.wago.com/870-405/011-000)**Nr. articol: 870-406**

Push-in type jumper bar; insulated; 6-way; Nominal current 18 A; light gray

[www.wago.com/870-406](http://www.wago.com/870-406)**Nr. articol: 870-407**

Push-in type jumper bar; insulated; 7-way; Nominal current 18 A; light gray

[www.wago.com/870-407](http://www.wago.com/870-407)**Nr. articol: 870-407/011-000**

Ready-made push-in type jumper bar; insulated; 1-3-5-7; Nominal current 18 A; light gray

[www.wago.com/870-407/011-000](http://www.wago.com/870-407/011-000)**Nr. articol: 870-408**

















Push-in type jumper bar; insulated; 8-way; Nominal current 18 A; light gray

[www.wago.com/870-408](http://www.wago.com/870-408)**Nr. articol: 870-409**

Push-in type jumper bar; insulated; 9-way; Nominal current 18 A; light gray

[www.wago.com/870-409](http://www.wago.com/870-409)

Supus modificărilor.

|  |   |  |
|--|---|--|
|    | <b>Nr. articol: 870-409/011-000</b><br>Ready-made push-in type jumper bar; insulated; 1-3-5-7-9; Nominal current 18 A; light gray         | <a href="http://www.wago.com/870-409/011-000">www.wago.com/870-409/011-000</a> |
|    | <b>Nr. articol: 870-410</b><br>Push-in type jumper bar; insulated; 10-way; Nominal current 18 A; light gray                               | <a href="http://www.wago.com/870-410">www.wago.com/870-410</a>                 |
|    | <b>Nr. articol: 870-433</b><br>Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A; light gray                          | <a href="http://www.wago.com/870-433">www.wago.com/870-433</a>                 |
|    | <b>Nr. articol: 870-434</b><br>Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A; light gray                          | <a href="http://www.wago.com/870-434">www.wago.com/870-434</a>                 |
|    | <b>Nr. articol: 870-435</b><br>Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A; light gray                          | <a href="http://www.wago.com/870-435">www.wago.com/870-435</a>                 |
|    | <b>Nr. articol: 870-440</b><br>Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A; light gray                         | <a href="http://www.wago.com/870-440">www.wago.com/870-440</a>                 |
| <b>Carrier rail</b>  |   |  |
|    | <b>Nr. articol: 210-112</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm   | <a href="http://www.wago.com/210-112">www.wago.com/210-112</a>                 |
|    | <b>Nr. articol: 210-113</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715                    | <a href="http://www.wago.com/210-113">www.wago.com/210-113</a>                 |
|   | <b>Nr. articol: 210-114</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715                     | <a href="http://www.wago.com/210-114">www.wago.com/210-114</a>                 |
|  | <b>Nr. articol: 210-115</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm   | <a href="http://www.wago.com/210-115">www.wago.com/210-115</a>                 |
|  | <b>Nr. articol: 210-118</b><br>Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715                   | <a href="http://www.wago.com/210-118">www.wago.com/210-118</a>                 |
|  | <b>Nr. articol: 210-196</b><br>Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored | <a href="http://www.wago.com/210-196">www.wago.com/210-196</a>                 |
|  | <b>Nr. articol: 210-197</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715                       | <a href="http://www.wago.com/210-197">www.wago.com/210-197</a>                 |
|  | <b>Nr. articol: 210-198</b><br>Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715; copper-colored  | <a href="http://www.wago.com/210-198">www.wago.com/210-198</a>                 |
|  | <b>Nr. articol: 210-504</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715          | <a href="http://www.wago.com/210-504">www.wago.com/210-504</a>                 |
|  | <b>Nr. articol: 210-505</b><br>Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715        | <a href="http://www.wago.com/210-505">www.wago.com/210-505</a>                 |
|  | <b>Nr. articol: 210-506</b><br>Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715         | <a href="http://www.wago.com/210-506">www.wago.com/210-506</a>                 |

Supus modificărilor.

**Nr. articol: 210-508**

Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715

[www.wago.com/210-508](http://www.wago.com/210-508)**ferrule****Nr. articol: 216-121**Ferrule; Sleeve for 0.5 mm<sup>2</sup> / AWG 22; uninsulated; electro-tin plated[www.wago.com/216-121](http://www.wago.com/216-121)**Nr. articol: 216-122**Ferrule; Sleeve for 0.75 mm<sup>2</sup> / AWG 20; uninsulated; electro-tin plated[www.wago.com/216-122](http://www.wago.com/216-122)**Nr. articol: 216-123**Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; uninsulated; electro-tin plated[www.wago.com/216-123](http://www.wago.com/216-123)**Nr. articol: 216-124**Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; uninsulated; electro-tin plated[www.wago.com/216-124](http://www.wago.com/216-124)**Nr. articol: 216-131**Ferrule; Sleeve for 0.25 mm<sup>2</sup> / AWG 24; uninsulated; electro-tin plated[www.wago.com/216-131](http://www.wago.com/216-131)**Nr. articol: 216-132**Ferrule; Sleeve for 0.34 mm<sup>2</sup> / AWG 24; uninsulated; electro-tin plated[www.wago.com/216-132](http://www.wago.com/216-132)**Nr. articol: 216-221**Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; white[www.wago.com/216-221](http://www.wago.com/216-221)**Nr. articol: 216-222**Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; gray[www.wago.com/216-222](http://www.wago.com/216-222)**Nr. articol: 216-223**Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; red[www.wago.com/216-223](http://www.wago.com/216-223)**Nr. articol: 216-224**Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; black[www.wago.com/216-224](http://www.wago.com/216-224)**Nr. articol: 216-321**Ferrule; Sleeve for 0.25 mm<sup>2</sup> / AWG 24; insulated; electro-tin plated; yellow[www.wago.com/216-321](http://www.wago.com/216-321)**Nr. articol: 216-322**Ferrule; Sleeve for 0.34 mm<sup>2</sup> / 22 AWG; insulated; electro-tin plated; green[www.wago.com/216-322](http://www.wago.com/216-322)**Marking accessories****Nr. articol: 2009-115**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/2009-115](http://www.wago.com/2009-115)**Nr. articol: 2009-115/000-002**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/2009-115/000-002](http://www.wago.com/2009-115/000-002)**Nr. articol: 2009-115/000-006**

WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/2009-115/000-006](http://www.wago.com/2009-115/000-006)

Supus modificărilor.

WAGO Kontakttechnik GmbH &amp; Co. KG

/Representative Office Romania

Sos. Pipera-Tunari nr. 1/1














building 1, 2nd floor | 077190 Voluntari, Ilfov

Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?

Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



|  |  |  |
|--|--|--|
|    | <b>Nr. articol: 2009-115/000-007</b><br>WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray        | <a href="http://www.wago.com/2009-115/000-007">www.wago.com/2009-115/000-007</a> |
|    | <b>Nr. articol: 2009-115/000-012</b><br>WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange      | <a href="http://www.wago.com/2009-115/000-012">www.wago.com/2009-115/000-012</a> |
|    | <b>Nr. articol: 2009-115/000-017</b><br>WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; light green | <a href="http://www.wago.com/2009-115/000-017">www.wago.com/2009-115/000-017</a> |
|    | <b>Nr. articol: 2009-115/000-023</b><br>WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green       | <a href="http://www.wago.com/2009-115/000-023">www.wago.com/2009-115/000-023</a> |
|    | <b>Nr. articol: 2009-115/000-024</b><br>WMB-Inline; for Smart Printer; 1500 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet      | <a href="http://www.wago.com/2009-115/000-024">www.wago.com/2009-115/000-024</a> |
|    | <b>Nr. articol: 2009-145</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; white          | <a href="http://www.wago.com/2009-145">www.wago.com/2009-145</a>                 |
|    | <b>Nr. articol: 2009-145/000-002</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; yellow | <a href="http://www.wago.com/2009-145/000-002">www.wago.com/2009-145/000-002</a> |
|  | <b>Nr. articol: 2009-145/000-005</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; red    | <a href="http://www.wago.com/2009-145/000-005">www.wago.com/2009-145/000-005</a> |
|  | <b>Nr. articol: 2009-145/000-006</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; blue   | <a href="http://www.wago.com/2009-145/000-006">www.wago.com/2009-145/000-006</a> |
|  | <b>Nr. articol: 2009-145/000-007</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; gray   | <a href="http://www.wago.com/2009-145/000-007">www.wago.com/2009-145/000-007</a> |
|  | <b>Nr. articol: 2009-145/000-012</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; orange | <a href="http://www.wago.com/2009-145/000-012">www.wago.com/2009-145/000-012</a> |
|  | <b>Nr. articol: 2009-145/000-023</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; green  | <a href="http://www.wago.com/2009-145/000-023">www.wago.com/2009-145/000-023</a> |
|  | <b>Nr. articol: 2009-145/000-024</b><br>Mini-WSB Inline; for Smart Printer; 1700 pieces on roll; stretchable 5 - 5.2 mm; plain; snap-on type; violet | <a href="http://www.wago.com/2009-145/000-024">www.wago.com/2009-145/000-024</a> |
|  | <b>Nr. articol: 2009-198</b><br>Adaptor  | <a href="http://www.wago.com/2009-198">www.wago.com/2009-198</a>                 |

Supus modificărilor.

**Nr. articol: 248-501**

Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

[www.wago.com/248-501](http://www.wago.com/248-501)**Nr. articol: 248-501/000-002**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; yellow

[www.wago.com/248-501/000-002](http://www.wago.com/248-501/000-002)**Nr. articol: 248-501/000-005**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/248-501/000-005](http://www.wago.com/248-501/000-005)**Nr. articol: 248-501/000-006**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/248-501/000-006](http://www.wago.com/248-501/000-006)**Nr. articol: 248-501/000-007**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/248-501/000-007](http://www.wago.com/248-501/000-007)**Nr. articol: 248-501/000-012**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/248-501/000-012](http://www.wago.com/248-501/000-012)**Nr. articol: 248-501/000-017**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/248-501/000-017](http://www.wago.com/248-501/000-017)**Nr. articol: 248-501/000-023**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/248-501/000-023](http://www.wago.com/248-501/000-023)**Nr. articol: 248-501/000-024**

Mini-WSB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/248-501/000-024](http://www.wago.com/248-501/000-024)**Nr. articol: 793-501**

WMB marking card; as card; not stretchable; plain; snap-on type; white

[www.wago.com/793-501](http://www.wago.com/793-501)**Nr. articol: 793-501/000-002**

WMB marking card; as card; not stretchable; plain; snap-on type; yellow

[www.wago.com/793-501/000-002](http://www.wago.com/793-501/000-002)**Nr. articol: 793-501/000-005**

WMB marking card; as card; not stretchable; plain; snap-on type; red

[www.wago.com/793-501/000-005](http://www.wago.com/793-501/000-005)**Nr. articol: 793-501/000-006**

WMB marking card; as card; not stretchable; plain; snap-on type; blue

[www.wago.com/793-501/000-006](http://www.wago.com/793-501/000-006)

Supus modificărilor.



**Nr. articol: 793-501/000-007**  
WMB marking card; as card; not stretchable; plain; snap-on type; gray

[www.wago.com/793-501/000-007](http://www.wago.com/793-501/000-007)



**Nr. articol: 793-501/000-012**  
WMB marking card; as card; not stretchable; plain; snap-on type; orange

[www.wago.com/793-501/000-012](http://www.wago.com/793-501/000-012)



**Nr. articol: 793-501/000-017**  
WMB marking card; as card; not stretchable; plain; snap-on type; light green

[www.wago.com/793-501/000-017](http://www.wago.com/793-501/000-017)



**Nr. articol: 793-501/000-023**  
WMB marking card; as card; not stretchable; plain; snap-on type; green

[www.wago.com/793-501/000-023](http://www.wago.com/793-501/000-023)



**Nr. articol: 793-501/000-024**  
WMB marking card; as card; not stretchable; plain; snap-on type; violet

[www.wago.com/793-501/000-024](http://www.wago.com/793-501/000-024)



**Nr. articol: 793-5501**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; white

[www.wago.com/793-5501](http://www.wago.com/793-5501)



**Nr. articol: 793-5501/000-002**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; yellow

[www.wago.com/793-5501/000-002](http://www.wago.com/793-5501/000-002)



**Nr. articol: 793-5501/000-005**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; red

[www.wago.com/793-5501/000-005](http://www.wago.com/793-5501/000-005)



**Nr. articol: 793-5501/000-006**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; blue

[www.wago.com/793-5501/000-006](http://www.wago.com/793-5501/000-006)



**Nr. articol: 793-5501/000-007**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; gray

[www.wago.com/793-5501/000-007](http://www.wago.com/793-5501/000-007)



**Nr. articol: 793-5501/000-012**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; orange

[www.wago.com/793-5501/000-012](http://www.wago.com/793-5501/000-012)



**Nr. articol: 793-5501/000-017**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; green

[www.wago.com/793-5501/000-017](http://www.wago.com/793-5501/000-017)



**Nr. articol: 793-5501/000-023**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type; light green

[www.wago.com/793-5501/000-023](http://www.wago.com/793-5501/000-023)



**Nr. articol: 793-5501/000-024**  
WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-

[www.wago.com/793-5501/000-024](http://www.wago.com/793-5501/000-024)














Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com















Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

on type; violet















## Female plug

|  |   |  |
|--|---|--|
|    | <b>Nr. articol: 769-101</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray                         | <a href="http://www.wago.com/769-101">www.wago.com/769-101</a>                 |
|    | <b>Nr. articol: 769-101/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; blue                 | <a href="http://www.wago.com/769-101/000-006">www.wago.com/769-101/000-006</a> |
|    | <b>Nr. articol: 769-101/000-016</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow         | <a href="http://www.wago.com/769-101/000-016">www.wago.com/769-101/000-016</a> |
|    | <b>Nr. articol: 769-101/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray         | <a href="http://www.wago.com/769-101/022-000">www.wago.com/769-101/022-000</a> |
|    | <b>Nr. articol: 769-101/022-016</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; green-yellow | <a href="http://www.wago.com/769-101/022-016">www.wago.com/769-101/022-016</a> |
|    | <b>Nr. articol: 769-102</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray                         | <a href="http://www.wago.com/769-102">www.wago.com/769-102</a>                 |
|   | <b>Nr. articol: 769-102/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; blue                 | <a href="http://www.wago.com/769-102/000-006">www.wago.com/769-102/000-006</a> |
|  | <b>Nr. articol: 769-102/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow   | <a href="http://www.wago.com/769-102/000-036">www.wago.com/769-102/000-036</a> |
|  | <b>Nr. articol: 769-102/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray   | <a href="http://www.wago.com/769-102/000-037">www.wago.com/769-102/000-037</a> |
|  | <b>Nr. articol: 769-102/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray         | <a href="http://www.wago.com/769-102/022-000">www.wago.com/769-102/022-000</a> |
|  | <b>Nr. articol: 769-103</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray                         | <a href="http://www.wago.com/769-103">www.wago.com/769-103</a>                 |
|  | <b>Nr. articol: 769-103/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; blue                 | <a href="http://www.wago.com/769-103/000-006">www.wago.com/769-103/000-006</a> |
|  | <b>Nr. articol: 769-103/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow   | <a href="http://www.wago.com/769-103/000-036">www.wago.com/769-103/000-036</a> |

Supus modificărilor.

|  |   |  |
|--|---|--|
|    | <b>Nr. articol: 769-103/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray       | <a href="http://www.wago.com/769-103/000-037">www.wago.com/769-103/000-037</a> |
|    | <b>Nr. articol: 769-103/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray, blue, green-yellow | <a href="http://www.wago.com/769-103/000-038">www.wago.com/769-103/000-038</a> |
|    | <b>Nr. articol: 769-103/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; green-yellow, blue, gray | <a href="http://www.wago.com/769-103/000-039">www.wago.com/769-103/000-039</a> |
|    | <b>Nr. articol: 769-103/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray             | <a href="http://www.wago.com/769-103/022-000">www.wago.com/769-103/022-000</a> |
|    | <b>Nr. articol: 769-104</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; gray                             | <a href="http://www.wago.com/769-104">www.wago.com/769-104</a>                 |
|    | <b>Nr. articol: 769-104/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; blue                     | <a href="http://www.wago.com/769-104/000-006">www.wago.com/769-104/000-006</a> |
|    | <b>Nr. articol: 769-104/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow       | <a href="http://www.wago.com/769-104/000-036">www.wago.com/769-104/000-036</a> |
|  | <b>Nr. articol: 769-104/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray       | <a href="http://www.wago.com/769-104/000-037">www.wago.com/769-104/000-037</a> |
|  | <b>Nr. articol: 769-104/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; gray, blue, green-yellow | <a href="http://www.wago.com/769-104/000-038">www.wago.com/769-104/000-038</a> |
|  | <b>Nr. articol: 769-104/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; green-yellow, blue, gray | <a href="http://www.wago.com/769-104/000-039">www.wago.com/769-104/000-039</a> |
|  | <b>Nr. articol: 769-104/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; gray             | <a href="http://www.wago.com/769-104/022-000">www.wago.com/769-104/022-000</a> |
|  | <b>Nr. articol: 769-105</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; gray                             | <a href="http://www.wago.com/769-105">www.wago.com/769-105</a>                 |
|  | <b>Nr. articol: 769-105/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; blue                     | <a href="http://www.wago.com/769-105/000-006">www.wago.com/769-105/000-006</a> |
|  | <b>Nr. articol: 769-105/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow       | <a href="http://www.wago.com/769-105/000-036">www.wago.com/769-105/000-036</a> |

Supus modificărilor.

|  |   |  |
|--|---|--|
|    | <b>Nr. articol: 769-105/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray       | <a href="http://www.wago.com/769-105/000-037">www.wago.com/769-105/000-037</a> |
|    | <b>Nr. articol: 769-105/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; gray, blue, green-yellow | <a href="http://www.wago.com/769-105/000-038">www.wago.com/769-105/000-038</a> |
|    | <b>Nr. articol: 769-105/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; green-yellow, blue, gray | <a href="http://www.wago.com/769-105/000-039">www.wago.com/769-105/000-039</a> |
|    | <b>Nr. articol: 769-105/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 5-pole; 4,00 mm <sup>2</sup> ; gray             | <a href="http://www.wago.com/769-105/022-000">www.wago.com/769-105/022-000</a> |
|    | <b>Nr. articol: 769-106</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; gray                             | <a href="http://www.wago.com/769-106">www.wago.com/769-106</a>                 |
|    | <b>Nr. articol: 769-106/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; blue                     | <a href="http://www.wago.com/769-106/000-006">www.wago.com/769-106/000-006</a> |
|    | <b>Nr. articol: 769-106/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow       | <a href="http://www.wago.com/769-106/000-036">www.wago.com/769-106/000-036</a> |
|  | <b>Nr. articol: 769-106/000-037</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray       | <a href="http://www.wago.com/769-106/000-037">www.wago.com/769-106/000-037</a> |
|  | <b>Nr. articol: 769-106/000-038</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; gray, blue, green-yellow | <a href="http://www.wago.com/769-106/000-038">www.wago.com/769-106/000-038</a> |
|  | <b>Nr. articol: 769-106/000-039</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; green-yellow, blue, gray | <a href="http://www.wago.com/769-106/000-039">www.wago.com/769-106/000-039</a> |
|  | <b>Nr. articol: 769-106/022-000</b><br>1-conductor female plug; angled; 4 mm <sup>2</sup> ; 6-pole; 4,00 mm <sup>2</sup> ; gray             | <a href="http://www.wago.com/769-106/022-000">www.wago.com/769-106/022-000</a> |
|  | <b>Nr. articol: 769-107</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 7-pole; 4,00 mm <sup>2</sup> ; gray                             | <a href="http://www.wago.com/769-107">www.wago.com/769-107</a>                 |
|  | <b>Nr. articol: 769-107/000-006</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 7-pole; 4,00 mm <sup>2</sup> ; blue                     | <a href="http://www.wago.com/769-107/000-006">www.wago.com/769-107/000-006</a> |
|  | <b>Nr. articol: 769-107/000-036</b><br>1-conductor female plug; 4 mm <sup>2</sup> ; 7-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow       | <a href="http://www.wago.com/769-107/000-036">www.wago.com/769-107/000-036</a> |

Supus modificărilor.

**Nr. articol:** 769-107/000-0371-conductor female plug; 4 mm<sup>2</sup>; 7-pole; 4,00 mm<sup>2</sup>; green-yellow, gray[www.wago.com/769-107/000-037](http://www.wago.com/769-107/000-037)**Nr. articol:** 769-107/000-0381-conductor female plug; 4 mm<sup>2</sup>; 7-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-107/000-038](http://www.wago.com/769-107/000-038)**Nr. articol:** 769-107/000-0391-conductor female plug; 4 mm<sup>2</sup>; 7-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/769-107/000-039](http://www.wago.com/769-107/000-039)**Nr. articol:** 769-107/022-0001-conductor female plug; angled; 4 mm<sup>2</sup>; 7-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-107/022-000](http://www.wago.com/769-107/022-000)**Nr. articol:** 769-1081-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-108](http://www.wago.com/769-108)**Nr. articol:** 769-108/000-0061-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; blue[www.wago.com/769-108/000-006](http://www.wago.com/769-108/000-006)**Nr. articol:** 769-108/000-0361-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; gray, green-yellow[www.wago.com/769-108/000-036](http://www.wago.com/769-108/000-036)**Nr. articol:** 769-108/000-0371-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; green-yellow, gray[www.wago.com/769-108/000-037](http://www.wago.com/769-108/000-037)**Nr. articol:** 769-108/000-0381-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-108/000-038](http://www.wago.com/769-108/000-038)**Nr. articol:** 769-108/000-0391-conductor female plug; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/769-108/000-039](http://www.wago.com/769-108/000-039)**Nr. articol:** 769-108/022-0001-conductor female plug; angled; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-108/022-000](http://www.wago.com/769-108/022-000)**Nr. articol:** 769-1091-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-109](http://www.wago.com/769-109)**Nr. articol:** 769-109/000-0061-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; blue[www.wago.com/769-109/000-006](http://www.wago.com/769-109/000-006)**Nr. articol:** 769-109/000-0361-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; gray, green-yellow[www.wago.com/769-109/000-036](http://www.wago.com/769-109/000-036)

Supus modificărilor.



**Nr. articol: 769-109/000-037**  
1-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/769-109/000-037](http://www.wago.com/769-109/000-037)



**Nr. articol: 769-109/000-038**  
1-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/769-109/000-038](http://www.wago.com/769-109/000-038)



**Nr. articol: 769-109/000-039**  
1-conductor female plug; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/769-109/000-039](http://www.wago.com/769-109/000-039)



**Nr. articol: 769-109/022-000**  
1-conductor female plug; angled; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-109/022-000](http://www.wago.com/769-109/022-000)



**Nr. articol: 769-110**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-110](http://www.wago.com/769-110)



**Nr. articol: 769-110/000-006**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; blue

[www.wago.com/769-110/000-006](http://www.wago.com/769-110/000-006)



**Nr. articol: 769-110/000-036**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/769-110/000-036](http://www.wago.com/769-110/000-036)



**Nr. articol: 769-110/000-037**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/769-110/000-037](http://www.wago.com/769-110/000-037)



**Nr. articol: 769-110/000-038**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/769-110/000-038](http://www.wago.com/769-110/000-038)



**Nr. articol: 769-110/000-039**  
1-conductor female plug; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/769-110/000-039](http://www.wago.com/769-110/000-039)



**Nr. articol: 769-110/022-000**  
1-conductor female plug; angled; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-110/022-000](http://www.wago.com/769-110/022-000)



**Nr. articol: 769-111**  
1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-111](http://www.wago.com/769-111)



**Nr. articol: 769-111/000-006**  
1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; blue

[www.wago.com/769-111/000-006](http://www.wago.com/769-111/000-006)



**Nr. articol: 769-111/000-036**  
1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/769-111/000-036](http://www.wago.com/769-111/000-036)

Supus modificărilor.





**Nr. articol: 769-111/000-037**

1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/769-111/000-037](http://www.wago.com/769-111/000-037)



**Nr. articol: 769-111/000-038**

1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/769-111/000-038](http://www.wago.com/769-111/000-038)



**Nr. articol: 769-111/000-039**

1-conductor female plug; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/769-111/000-039](http://www.wago.com/769-111/000-039)



**Nr. articol: 769-111/022-000**

1-conductor female plug; angled; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-111/022-000](http://www.wago.com/769-111/022-000)



**Nr. articol: 769-112**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-112](http://www.wago.com/769-112)



**Nr. articol: 769-112/000-006**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; blue

[www.wago.com/769-112/000-006](http://www.wago.com/769-112/000-006)



**Nr. articol: 769-112/000-036**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/769-112/000-036](http://www.wago.com/769-112/000-036)



**Nr. articol: 769-112/000-037**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/769-112/000-037](http://www.wago.com/769-112/000-037)



**Nr. articol: 769-112/000-038**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow

[www.wago.com/769-112/000-038](http://www.wago.com/769-112/000-038)



**Nr. articol: 769-112/000-039**

1-conductor female plug; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/769-112/000-039](http://www.wago.com/769-112/000-039)



**Nr. articol: 769-112/022-000**

1-conductor female plug; angled; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-112/022-000](http://www.wago.com/769-112/022-000)



**Nr. articol: 769-113**

1-conductor female plug; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-113](http://www.wago.com/769-113)



**Nr. articol: 769-113/000-036**

1-conductor female plug; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; gray, green-yellow

[www.wago.com/769-113/000-036](http://www.wago.com/769-113/000-036)



**Nr. articol: 769-113/000-037**

1-conductor female plug; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; green-yellow, gray

[www.wago.com/769-113/000-037](http://www.wago.com/769-113/000-037)

Supus modificărilor.

**Nr. articol:** 769-113/000-0381-conductor female plug; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-113/000-038](http://www.wago.com/769-113/000-038)**Nr. articol:** 769-113/000-0391-conductor female plug; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/769-113/000-039](http://www.wago.com/769-113/000-039)**Nr. articol:** 769-113/022-0001-conductor female plug; angled; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-113/022-000](http://www.wago.com/769-113/022-000)**Nr. articol:** 769-1141-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-114](http://www.wago.com/769-114)**Nr. articol:** 769-114/000-0061-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; blue[www.wago.com/769-114/000-006](http://www.wago.com/769-114/000-006)**Nr. articol:** 769-114/000-0361-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; gray, green-yellow[www.wago.com/769-114/000-036](http://www.wago.com/769-114/000-036)**Nr. articol:** 769-114/000-0371-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; green-yellow, gray[www.wago.com/769-114/000-037](http://www.wago.com/769-114/000-037)**Nr. articol:** 769-114/000-0381-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-114/000-038](http://www.wago.com/769-114/000-038)**Nr. articol:** 769-114/000-0391-conductor female plug; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/769-114/000-039](http://www.wago.com/769-114/000-039)**Nr. articol:** 769-114/022-0001-conductor female plug; angled; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-114/022-000](http://www.wago.com/769-114/022-000)**Nr. articol:** 769-1151-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-115](http://www.wago.com/769-115)**Nr. articol:** 769-115/000-0361-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray, green-yellow[www.wago.com/769-115/000-036](http://www.wago.com/769-115/000-036)**Nr. articol:** 769-115/000-0371-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; green-yellow, gray[www.wago.com/769-115/000-037](http://www.wago.com/769-115/000-037)**Nr. articol:** 769-115/000-0381-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-115/000-038](http://www.wago.com/769-115/000-038)

Supus modificărilor.



**Nr. articol:** 769-115/000-039

1-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray

[www.wago.com/769-115/000-039](http://www.wago.com/769-115/000-039)



**Nr. articol:** 769-115/022-000

1-conductor female plug; angled; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-115/022-000](http://www.wago.com/769-115/022-000)

#### Coding



**Nr. articol:** 769-435

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors; orange

[www.wago.com/769-435](http://www.wago.com/769-435)

#### End plate



**Nr. articol:** 870-118

End and intermediate plate; 1 mm thick; gray

[www.wago.com/870-118](http://www.wago.com/870-118)



**Nr. articol:** 870-119

End and intermediate plate; 1 mm thick; orange

[www.wago.com/870-119](http://www.wago.com/870-119)

#### tools



**Nr. articol:** 210-720

Operating tool; Blade: 3.5 x 0.5 mm; with a partially insulated shaft

[www.wago.com/210-720](http://www.wago.com/210-720)

## Descărcări

### Documentation

#### Additional Information

Technical explanations

Apr 3, 2019

pdf  
2,1 MB

Descărcare

### CAD/CAE-Data

#### CAD data

2D/3D Models 870-104

URL

Descărcare

#### CAE data

EPLAN Data Portal 870-104

URL

Descărcare

WSCAD Universe 870-104

URL


Descărcare

### Installation Notes


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.




Removing a terminal block from the assembly.



CAGE CLAMP® connection

Inserting a conductor (0.08 ... 4 mm<sup>2</sup> "f-st").



Testing with voltage tester.

## Familie de produse

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



X-COM

Afișare globală produse din familie.

Supus modificărilor.

---

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.