

Descriere articol

Note on mismatching protection:

All WINSTA[®] components are 100% protected against mismatching when:

- plugging different numbers of poles
- plugging while rotated 180
- plugging while laterally staggered
- plugging one pole

Date

Electrical data

Note on Contact Resistance

approx. 1 mΩ of contact resistance approx. 0.25 mΩ contact transition plug/socket

Supus modificărilor.



Ratings per IEC/EN 60664-1

Ratings per	IEC/EN 60664-1
Legend (ratings)	(III / 3) $\hat{=}$ Overvoltage category III / Pollution degree 3

Geometrical Data

Width	190 mm / 7.48 inch
Height	30 mm / 1.181 inch
Depth	145 mm / 5.709 inch

Mechanical data

Mounting type	Wall, screw mount Installation on mounting plate
Protection type	IP20
Note on protection type	Only when mated (these compact connectors are not designed for use in open, easily accessible areas).

Plug connection

Mismating protection	Yes
Locking of plug-in connection	locking lever

Material Data

Color	white
Insulation material	Polyamide 66 (PA 66)
Contact material	Copper or copper alloy (surface-treated)
Weight	192,6 g

Environmental Requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures \leq 105 °C

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143315715

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Customs tariff number

85366990990

Counterpart

Produce compatibile

assembling



Nr. articol: 770-630

Fixing pin; for distribution boxes; Plastic; gray

www.wago.com/770-630



Nr. articol: 770-680

Mounting plate; for distribution boxes

www.wago.com/770-680



Nr. articol: 890-302

Mounting carrier; 2-pole; for sockets and plugs; Plastic; gray

www.wago.com/890-302



Nr. articol: 890-303

Mounting carrier; 3-pole; for sockets and plugs; Plastic; gray

www.wago.com/890-303



Nr. articol: 890-304

Mounting carrier; 4-pole; for sockets and plugs; Plastic; gray

www.wago.com/890-304



Nr. articol: 890-305

Mounting carrier; 5-pole; for sockets and plugs; Plastic; gray

www.wago.com/890-305

Installation Notes

Installation




Securing the mounting plate with WINSTA[®]
Distribution Box to the wall (e.g., via stud gun).

Application


Supus modificărilor.




The set includes: 1 bottom, 1 lid, 2 sidewalls and 16 mounting pins.



Remove unrequired areas from the sidewalls.



Unassigned slots and spaces are closed by inserting a sidewall.



Using mounting pins to secure WINSTA[®] MIDI and WINSTA[®] MIDI special connectors in a distribution box.



Adapter for WINSTA[®] MINI and WINSTA[®] MINI special connectors

Familie de produse

WINSTA[®] Boxen

WINSTA[®] ist das Steckverbindersystem, das optimal auf die hohen Anforderungen in der Gebäudeinstallation zugeschnitten ist. Es macht die Elektroinstallation steckbar und dadurch schnell, sicher und fehlerfrei. Dies gilt auch in weiteren Anwendungen wie z. B. im Schiffbau, in der Bahntechnik oder in der Industrie.

[Afișare globală produse din familie.](#)

Supus modificărilor.