

Surubelnite cu varf plat

605NI



Profile


Premium Hard



Caracteristicile produsului



- lama: otel crom vanadium molibden tratata integral
- lama nichelata
- maner: forma ergonomica
- maner-polipropilena
- gaura de agatare
- in concordanta cu standardul ISO 2380-1,2


Standarde

DIN 5266, ISO 2380-1, 2






	axb	C	L	D	
616419	0.4 x 2.0	60	145	2	33
616420	0.4 x 2.5	75	160	2.5	34
616421	0.5 x 3.0	80	165	3	35
616422	0.6 x 3.5	100	185	3.5	39
616423	0.8 x 4.0	100	185	4	41
616424	1.0 x 5.5	125	225	5	70

	axb	C	L	D	
616425	1.2 x 6.5	150	250	6	103
616426	1.2 x 8.0	175	285	7	143
616427	1.6 x 10.0	200	320	8	173









Ambalaj pentru retail

	MA	MB	MC	
616419	200	44	32	40
616420	215	44	32	41
616421	220	44	32	42
616422	240	44	32	46
616423	240	44	32	48
616424	275	44	36,6	77
616425	310	44	36,6	110
616426	350	44	39,7	150
616427	380	44	42,7	180



Ambalaj pentru transport

		TA	TB	TC	
616419	4	75	286	40	285
616420	4	85	288	52	289
616421	4	75	286	40	293
616422	4	114	291	39	309
616423	4	114	291	39	317

		TA	TB	TC	
616424	4	115	318	39	433
616425	4	115	340	39	565
616426	4	114	388	47	725
616427	4	114	388	47	845