





## AS MODULAR ENCLOSURES



AS
























### Type key



## AS MODULAR ENCLOSURES – continued

### SCHRACK-INFO












- Material:
  - Frame: Sheet steel 1.75 mm
  - Doors: Sheet steel 2 mm / Single door 1.75 mm
  - Rear panel: Sheet steel 1.35 mm
  - Roof: Sheet steel 1.35 mm
  - Mounting plate: Sheet steel, galvanised, 2.7 mm
  - Frame: 8x bevelled and laser-welded profile with 25 mm hole matrix and cable entry in floor
  - Doors: Hinges can be attached on left or right, reinforced frame
  - Rear panel: Removable. Can be replaced with rear doors
  - Lock: Self-positioning 4 point rod lock for single doors and 3 point rod lock for double doors
  - Comes as standard with swing handle lock with 5mm double-bit insert, replaceable
  - Mounting plate: Double-bevelled, depth can be adjusted at 25 mm intervals
  - Surface: powder-coated RAL 7035
  - Degree of protection: IP 56 / NEMA 4 for single door-, IP 55 / NEMA 12 for double door models
  - Included in delivery: Housing with doors with swing handle insert, 5mm double-bit insert, removable roof, cable entry plates, rear panel and mounting plate and earthing studs, keys and assembly instructions

DESCRIPTION	DIM. (WxHxD) mm	EAN CODE	AVAILABLE	ORDER NO.
<b>SINGLE DOOR WITH MOUNTING PLATE</b>				
single door	1800x600x400	9004840533514		<b>AS186040-5</b>
single door	1800x600x500	9004840533569		AS186050-5
single door	1800x600x600	9004840533552		<b>AS186060-5</b>
single door	1800x800x400	9004840533545		<b>AS188040-5</b>
single door	1800x800x500	9004840533521		<b>AS188050-5</b>
single door	1800x800x600	9004840533576		<b>AS188060-5</b>
single door	1800x1000x400	9004840533392		<b>AS181040-5</b>
single door	1800x1000x500	9004840533460		AS181050-5
single door	1800x1000x600	9004840533446		AS181060-5
single door	2000x600x400	9004840533712		<b>AS206040-5</b>
single door	2000x600x500	9004840533736		<b>AS206050-5</b>
single door	2000x600x600	9004840533743		<b>AS206060-5</b>
single door	2000x800x400	9004840533774		<b>AS208040-5</b>
single door	2000x800x500	9004840533750		<b>AS208050-5</b>
single door	2000x800x600	9004840533859		<b>AS208060-5</b>
single door	2000x800x800	9004840533835		<b>AS208080-5</b>
single door	2000x1000x400	9004840533637		<b>AS201040-5</b>
single door	2000x1000x500	9004840533606		<b>AS201050-5</b>
single door	2000x1000x600	9004840533583		<b>AS201060-5</b>
single door	2200x600x600	9004840533798		<b>AS226060-5</b>
single door	2200x800x600	9004840533866		<b>AS228060-5</b>
single door	2200x800x800	9004840533873		AS228080-5
single door	2200x1000x600	9004840533828		AS221060-5
<b>SINGLE DOOR WITHOUT MOUNTING PLATE</b>				
single door without MPL	1800x600x400	9004840533507		<b>AS186041-5</b>
single door without MPL	1800x800x400	9004840533538		AS188041-5
single door without MPL	1800x800x600	9004840533644		AS188061-5
single door without MPL	2000x600x400	9004840533729		AS206041-5
single door without MPL	2000x600x600	9004840533781		<b>AS206061-5</b>
single door without MPL	2000x800x400	9004840533767		<b>AS208041-5</b>
single door without MPL	2000x800x600	9004840533842		<b>AS208061-5</b>
single door without MPL	2000x1000x400	9004840552553		AS201041-5
single door without MPL	2000x400x400	9004840548945		<b>AS204041-5</b>




Order no. blue: on stock, usually ready for delivery on the day of order!

## AS MODULAR ENCLOSURES WITH MOUNTING PLATE – continued









DESCRIPTION	DIM. (WxHxD) mm	EAN CODE	AVAILABLE	ORDER NO.
<b>DOUBLE DOOR WITH MOUNTING PLATE</b>				
double door	1800x1000x400	9004840533422		<b>AS181042-5</b>
double door	1800x1000x500	9004840533453		AS181052-5
double door	1800x1000x600	9004840533439		AS181062-5
double door	1800x1200x400	9004840533491		<b>AS181242-5</b>
double door	1800x1200x500	9004840533484		<b>AS181252-5</b>
double door	1800x1200x600	9004840533477		AS181262-5
double door	2000x1000x400	9004840533620		<b>AS201042-5</b>
double door	2000x1000x500	9004840533590		<b>AS201052-5</b>
double door	2000x1000x600	9004840533699		<b>AS201062-5</b>
double door	2000x1600x400	9004840533705		<b>AS201642-5</b>
double door	2000x1200x400	9004840533682		<b>AS201242-5</b>
double door	2000x1200x500	9004840533668		<b>AS201252-5</b>
double door	2000x1200x600	9004840533651		<b>AS201262-5</b>
double door	2200x1000x600	9004840533811		AS221062-5
double door	2200x1200x600	9004840533804		AS221262-5
<b>DOUBLE DOOR WITHOUT MOUNTING PLATE</b>				
double door without MPL	2000x1000x400	9004840533613		<b>AS201043-5</b>
double door without MPL	2000x1200x400	9004840533675		AS201243-5

## AS MODULAR ENCLOSURES SIDE PANELS




### SCHRACK-INFO

- Each unit comes as sold with 2 side panels

DESCRIPTION	DIM. (DxH) mm	EAN CODE	AVAILABLE	ORDER NO.
Sidepanel, 1 pair	400x1800	9004840536201		<b>ASSW1804-5</b>
Sidepanel, 1 pair	500x1800	9004840536300		<b>ASSW1805-5</b>
Sidepanel, 1 pair	600x1800	9004840536195		<b>ASSW1806-5</b>
Sidepanel, 1 pair	400x2000	9004840536188		<b>ASSW2004-5</b>
Sidepanel, 1 pair	500x2000	9004840536317		<b>ASSW2005-5</b>
Sidepanel, 1 pair	600x2000	9004840536171		<b>ASSW2006-5</b>
Sidepanel, 1 pair	800x2000	9004840536164		<b>ASSW2008-5</b>
Sidepanel, 1 pair	600x2200	9004840536157		<b>ASSW2206-5</b>
Sidepanel, 1 pair	800x2200	9004840536294		ASSW2208-5

## ■ SIDE MOUNTING BAR FOR AS AND KS ENCLOSURES



### ■ SCHRACK-INFO


For fixing cables, cable guides, etc. in the depth or the width of an enclosure.  
Material: 2mm zinc plated steel.

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Side mounting bar for 400 w/d	9004840243468		<b>ASCMB400</b>
Side mounting bar for 500 w/d	9004840243475		<b>ASCMB500</b>
Side mounting bar for 600 w/d	9004840243482		<b>ASCMB600</b>
Side mounting bar for 800 w/d	9004840243499		ASCMB800

## ■ AS MODULAR ENCLOSURES CONNECTION KITS



ASCCI060



ASSCM040

### ■ SCHRACK-INFO

- Connecting angle for aligning AS enclosures next to one another
- Material: 3 mm galvanized steel, incl. fixing material

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Cable entry gasket 30x25	9004840245677		<b>ASBG0001</b>
EMC Cable entry gasket	9004840390162		<b>ASBGE001</b>
Internal corner baying Kit	9004840240931		<b>ASCCM040</b>
Internal baying brackets	9004840240917		<b>ASCCI060</b>
Internal connection	9004840240894		ASCCS06
Connection set encl. w/partition	9004840240924		<b>ASCCJ120</b>
Ext. auto spacer comb. kit	9004840240900		<b>ASCCE060</b>
Extrudetite screws M6	9004840243741		<b>ASCNT006</b>
Mounting plate bracket	9004840244304		<b>ASMPA006</b>
Mounting plate depth-adjustment bracket	9004840244298		<b>ASMPD002</b>
Mounting plate fixing bracket f. middle fixing	9004840395945		ASMPE002
Door mounting set single door	9004840244854		<b>ASDMK001</b>
Door mounting set double door	9004840625394		ASDMK002
Adjustable 180 degree hinge	9004840244861		ASDH0180



## I KNOW WHERE TO FIND IT!

WITH THE SCHRACK TECHNIK LIVE-PHONE APP

- Access technical product information at any time and from everywhere
- See availability and price immediately
- Order desired products easily



Order no. **blue**: on stock, usually ready for delivery on the day of order!

## SEPARATION PLATES FOR AS ENCLOSURES



### SCHRACK-INFO

- Separates two bayed enclosures
- Can also be used for partial depth/height separation
- To be fixed with combining kit ASCCJ120
- To achieve IP 43, a neoprene gasket ASSPDG01 must be fixed to the plate
- Material: 1.5mm zinc plated steel

HxD (mm)	EAN CODE	AVAILABLE	ORDER NO.
	9004840253030		ASTW1804
1800x500	9004840261585		ASTW1805
2000x400	9004840261592		<b>ASTW2004</b>
2000x500	9004840261608		ASTW2005
2000x800	9004840261615		ASTW2008
2200x600	9004840261622		ASTW2206
2200x800	9004840261639		ASTW2208
Neoprene Gasket 6m, IP43 for AS sidepanel	9004840650778		ASSPDG01

## FLOOR STANDING ENCLOSURES GLAZED DOORS



### SCHRACK-INFO

- IP 55/IK 10
- Standard door with clear glass window to view the equipment inside
- Fitted with safety glass, double-bit 3mm lock and door frame
- Material: Frame: 2mm steel plate
- Viewing area: 4mm clear safety glass
- RAL 7035 structured powder coating
- Complies with IP 55, NEMA 12, IK 10.

HxD (mm)	EAN CODE	AVAILABLE	ORDER NO.
1800x600	9004840535211		ASKG1806-5
1800x800	9004840535266		ASKG1808-5
2000x600	9004840535259		ASKG2006-5
2000x800	9004840535273		ASKG2008-5
2200x800	9004840535457		ASKG2208-5

## DOOR SWITCH



### SCHRACK-INFO

- Activates any electrical device (lighting, coolers, etc).
- Can be fitted after installing the enclosure thereby keeping the door opening free
- Switch capacity: 6A-230VAC




DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Door switch	9004840245097		<b>ASDSW010</b>

## UNIVERSAL CONDUIT HOLDER



### SCHRACK-INFO

- Bracket to mount ASCON onto the door frame and the frame of the enclosure or accessory
- Can be mounted horizontally or vertically on any 25 mm hole pattern of the door frame, enclosure frame or accessory profile
- Material: Polycarbonate



DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Conduit holder 16	9004840252309		<b>ASCONH16</b>
Conduit holder 29	9004840252316		<b>ASCONH29</b>
Conduit holder 36	9004840252323		<b>ASCONH36</b>
Conduit holder 48	9004840252330		ASCONH48

## CABLE CONDUIT



### SCHRACK-INFO

- For protecting and covering cables between the door and the inside of the enclosure or swing frame
- Material: Polyethylene

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Cable conduit D=16 mm	9004840250497		ASCON016
Cable conduit D=29 mm	9004840250503		<b>ASCON029</b>
Cable conduit D=36 mm	9004840250510		<b>ASCON036</b>
Cable conduit D=48 mm	9004840250527		ASCON048



## I KNOW WHERE TO FIND IT!

THE SCHRACK TECHNIK WEB SHOP WITH NAVIGATOR  
[WWW.SCHRACK.COM](http://WWW.SCHRACK.COM)

- Finding product information made easy
- Buying products around the clock
- Quick access customer service



## WIDTH SECTION FOR PLINTH



ASSOB

### SCHRACK-INFO

- Width sections for standard bases
- Allows cable to be installed between enclosure rows free of obstruction. Meets VDE 0133 standard, secured through use of 4 corner pieces
- The width sections have no actual bearing function. Instead they keep cables from sight, even though their double-bevelled construction means they are very rigid.
- The corner parts are equipped with plastic covers which offer external access to mounting screws
- 200 mm height models have a simple plate for the front, a split plate for the rear - Cables can be managed from the rear by omitting a half
- Material: Corner sections 2.5 mm galvanized steel, closed at ends, base plates 2 mm steel, powder-coated according to RAL 7022
- Each package contains: 4x corner sections, 2x width sections incl. fixing material

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Width section for plinth 400/100	9004840240542		<a href="#">ASSOB041</a>
Width section for plinth 600/100	9004840240559		<a href="#">ASSOB061</a>
Width section for plinth 800/100	9004840240566		<a href="#">ASSOB081</a>
Width section for plinth 1000/100	9004840240573		<a href="#">ASSOB101</a>
Width section for plinth 1200/100	9004840240580		<a href="#">ASSOB121</a>
Width section for plinth 400/200	9004840240597		<a href="#">ASSOB042</a>
Width section for plinth 600/200	9004840240603		<a href="#">ASSOB062</a>
Width section for plinth 800/200	9004840240610		<a href="#">ASSOB082</a>
Width section for plinth 1000/200	9004840240627		<a href="#">ASSOB102</a>
Width section for plinth 1200/200	9004840240634		<a href="#">ASSOB122</a>

## DEPTH SECTION FOR PLINTH



ASSOT

### SCHRACK-INFO

- Depth sections for standard bases, especially rigid structure due to its double-bevelled construction
- Material: 2 mm steel, powder-coated accord. to RAL 7022
- Each package contains 2 pieces incl. fixing material

DESCRIPTION	EAN CODE	AVAILABLE	ORDER NO.
Depth section for plinth 300/100	9004840248937		<a href="#">ASSOT031</a>
Depth section for plinth 400/100	9004840240641		<a href="#">ASSOT041</a>
Depth section for plinth 500/100	9004840240658		<a href="#">ASSOT051</a>
Depth section for plinth 600/100	9004840240665		<a href="#">ASSOT061</a>
Depth section for plinth 800/100	9004840240672		<a href="#">ASSOT081</a>
Depth section for plinth 300/200	9004840248944		<a href="#">ASSOT032</a>
Depth section for plinth 400/200	9004840240696		<a href="#">ASSOT042</a>
Depth section for plinth 500/200	9004840240702		<a href="#">ASSOT052</a>
Depth section for plinth 600/200	9004840240719		<a href="#">ASSOT062</a>
Depth section for plinth 800/200	9004840240726		<a href="#">ASSOT082</a>