

**Article**

**219.1633**  
PLUG 2P+E IP66/IP67 16A 6h 200-250V AC

**Picture**



**Master data**

Minimum order	1 NR
Net Weight	0.221 KG
EAN code	8001636294285
INTRASTAT code	85366990

**TechData**

Syntetical description	PLUG
Protection degree	IP66
Commercial series	OPTIMA-EX[GD] Series
Cable outlet	CABLE GLAND
Rated current	16A
Poles	2P+E
Working frequency	50Hz
Working frequency	60Hz
Rated voltage	200-250V
Colour	BLUE
Hour position	6h
Group and categories EX	II 2GD

**Approvals and Certifications**



CE  
Declaration of conformity



Notifica ATEX e IECEX  
Notifica ATEX e IECEX

NOTIFICA



Notifica ATEX e IECEX  
Notifica ATEX e IECEX

NOTIFICA



INERIS Atex  
Institut National de l'Environnement  
Industriel et des Risques

INERIS IECEX


**Standards and Laws**



EN 60309-1 (1999)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 1:  
General requirements



INERIS IECEX  
Institut National de l'Environnement  
Industriel et des Risques




EN 60309-2 (1999)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 2:  
Dimensional interchangeability requirements  
for pin and contact-tube accessories of  
harmonized configurations

EN 60309-1/A1 (2007)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 1:  
General requirements

EN 60309-2/A1 (2007)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 2:  
Dimensional interchangeability requirements  
for pin and contact-tube accessories of  
harmonized configurations

EN 60079-7 (2007)  
[European Standard] Explosive  
atmospheres. Equipment protection by  
increased safety "e"



EN 60079-0 (2009)  
[European Standard] Explosive  
atmospheres. General requirements.

EN 60079-31 (2009)  
[European Standard] Explosive  
atmospheres. Equipment dust ignition  
protection by enclosure "t"

EN 60079-1 (2007)  
[European Standard] Electrical apparatus  
for explosive gas atmospheres - Part 1:  
Flameproof enclosures "d"

EN 60309-1/A2 (2012)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 1:  
General requirements



**Packaging**

Description	Carton
Quantity	12
EAN code	8001636742236
Gross weight	3.576 KG
Volume	23625 CCM
Dimensions	225x280x375 (MM)
Description	Box
Quantity	1
EAN code	
Gross weight	0.298 KG
Volume	1447.686 CCM
Dimensions	102x166x85.5 (MM)

**Annexed**



**.dwg**



**.pdf**

EN 60309-2/A2 (2012)  
[European Standard] Plugs, socket-outlets  
and couplers for industrial purposes. Part 2:  
Dimensional interchangeability requirements  
for pin and contact-tube accessories of  
harmonized configurations

Instruction manual

Technical drawing [DWG]

Technical drawing [PDF]





**.stp**

**Note:**



ATEX: por applications in potentially explosive atmospheres.



WebService:

10/04/2017



---

Technical drawing [STP]