



# 590.HGE3203-C

## ENCLOSED CHANGE OVER SWITCH

32A 3P IP66 150x210x107mm C1 IK10  
GENERAL GREY/BLACK

Product Approvals

| TECHDATA                |                             | STANDARDS AND LAWS                |   |
|-------------------------|-----------------------------|-----------------------------------|---|
| Commercial series       | ISOLATORS-AL Series         | EN 60947-3 (2009)                 | [European Standard] Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units |
| Type of product         | ENCLOSED CHANGE OVER SWITCH | EN 60947-1 (2007)                 | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules  |
| Synthetical description | ENCLOSED CHANGE OVER SWITCH | EN 60947-1/A1 (2011)              | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules  |
| Material                | DIE-CAST ALUMINIUM          | EN 60947-3/A1 (2012)              | [European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units   |
| Protection degree IP    | IP66                        | EN 60947-1/A2 (2014)              | [European Standard] Low-voltage switchgear and controlgear - Part 1: General rules  |
| Type                    | GENERAL                     | EN 60947-3/A2 (2015)              | [European Standard] Low-voltage switchgear and controlgear Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units   |
| Colour                  | GREY/BLACK                  | DIRECTIVE LOW VOLTAGE 2014/35 /UE | [European Directives] Low Voltage Directive   |
| Rated current           | 32A                         |                                   |   |
| Poles                   | 3P                          |                                   |   |
| Switch size             | C1                          |                                   |   |
| Rated voltage           | 690V                        |                                   |   |
| Dimensions              | 150x210x107mm               |                                   |   |
| Protection degree IK    | IK10                        |                                   |   |