Product Technical Sheet

12 Aug 2021 12:04





204.WD21D-T23AWALL BOX 2 SOCKETS WITH LOCK

Type 2 3P+N+E 32A 400V~ 22kW Type 3A 1P+N+E 16A 230V~ 3,7kW 32A 400V 3P+N+E IP54 IK10

Product Approvals

TECHDATA		STANDARDS	AND LAWS
Commercial series	LIBERA Series	IEC 61439-7 (2018)	(2018) [International Standard] Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations
Type of product	WALL BOX 2 SOCKETS WITH LOCK		
Synthetical description	WALL BOX 2 SOCKETS WITH LOCK	EN IEC 61851-1 (2019)	[European Standard] Electric vehicle conductive charging system - Part 1:
Material	ENGINEERING PLASTIC	DIRECTIVE LOW	General requirements [European Directives] Low Voltage
EV standard	Type 3A 1P+N+E 16A 230V~ 3,7kW	VOLTAGE 2014/35 Directive /UE DIRECTIVE EMC [European Directives] Electromagnetic	[European Directives] Electromagnetic
EV standard	Type 2 3P+N+E 32A 400V~ 22kW	2014/30/UE	Compatibility Directive
Rated current	32A		
Rated voltage	400V		
Working frequency	50/60Hz		
Poles	3P+N+E		
Protection degree IP	IP54		
Working temperature	-30°C/+50°C		
GLOW WIRE	GW 650°C		
Protection degree IK	IK10		
Colour	GREY		
Mounting version	SURFACE MOUNTING		
Dimensions	360x780x264mm		