



204.CA21B-UNUNA

PILLAR CA 2 SOCKETS WITH LOCK

UNEL 1P+N+E 16A 230V~ 3,7kW 16A 400V
3P+N+E IP54 IK10

Product Approvals

| TECHDATA | | STANDARDS AND LAWS | |
|-------------------------|-------------------------------|-----------------------------------|--|
| Commercial series | LIBERA Series | IEC 61439-7 (2018) | [International Standard] Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations |
| Type of product | PILLAR CA 2 SOCKETS WITH LOCK | | |
| Synthetical description | PILLAR CA 2 SOCKETS WITH LOCK | EN IEC 61851-1 (2019) | [European Standard] Electric vehicle conductive charging system - Part 1: General requirements |
| Material | VARNISHED METAL | DIRECTIVE LOW VOLTAGE 2014/35 /UE | [European Directives] Low Voltage Directive |
| EV standard | UNEL 1P+N+E 16A 230V~ 3,7kW | DIRECTIVE EMC 2014/30/UE | [European Directives] Electromagnetic Compatibility Directive |
| Rated current | 16A | | |
| Rated voltage | 400V | | |
| Working frequency | 50/60Hz | | |
| Poles | 3P+N+E | | |
| Protection degree IP | IP54 | | |
| Working temperature | -30°C/+50°C | | |
| Protection degree IK | IK10 | | |
| Colour | GREY | | |
| Mounting version | ON TURRET | | |
| Dimensions | 385x1510x263mm | | |