Product Technical Sheet

12 Aug 2021 12:12





200.01693 FLUSH MOUNTING APPLIANCE INLET

IP44 16A 2P+E 200-250V GREY 70x87mm Type 3A 1P+N+E 16A 230V~ 3,7kW

Product Approvals

TECHDATA		STANDARDS AND LAWS	
Mounting version	FLUSH/SURFACE MOUNTING	EN 62196-1 (2014)	[European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c.
Commercial series	LIBERA Series		
Type of product	FLUSH MOUNTING APPLIANCE INLET	EN 62196-2 (2017) DIRECTIVE LOW VOLTAGE 2014/35 /UE	and vehicle couplers. Conductive charging of electric vehicles. Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories [European Directives] Low Voltage
Synthetical description	FLUSH MOUNTING APPLIANCE INLET		
Protection degree IP	IP44		
Rated current	16A		
Poles	2P+E		
Rated voltage	200-250V		
Colour	GREY		
Material	THERMOPLASTIC		
Notes	70x87mm		
EV standard	Type 3A 1P+N+E 16A 230V~ 3,7kW		