

elegantly
tough



Panasonic

PACIFIC
IP54



Pacific featuring IP54 meets the user expectations under tough conditions at the utmost level. It comes into prominence with its safe use against dust, water splash, moisture and its aesthetic design.



PACIFIC
IP54

for tough
conditions

IP54

- Protection against dust and water splash with IP54 feature
- Labeled and unlabeled product alternatives according to the needs and opportunity to put label when desired
- Patented seal system allowing cable assembly from the closest point of the wall and without bending
- Perfect impermeability with double injection seals allowing cable assembly in three different diameters
- Wide internal volume for easy cable assembly inside the product
- Glass-fibre reinforced thermoplastic material ensuring high impact strength and resistance to chemical and thermal environment

Panasonic

IP54



Superior Design Transparent Label

Pacific facilitates everybody's works with its label area on the switch and sockets. Label area is protected with plastic cover against water and moisture to prevent the removal of the instructions written on this area. Label kit may be purchased separately according to the needs. Pacific responds to the demands of the ones for more usage comfort with illuminated switch options.



Cover providing
additional safety



Locking cover to
prevent
unauthorized
usages

high reliability on surface mounting

Impermeability


Safe usage with double injection
impermeable seals

IP54 feature

Protection against dust and water
splash with IP54 feature

Wide internal volume

Wide internal volume for easy cable
assembly inside the product



Cover

Easy assembly with double threaded
thermoplastic screws

Thermoplastic Exterior Surface


Glass-fibre reinforced thermoplastic material
ensuring high resistance to weather conditions,
high impact strength and resistance to chemical
and thermal environment

Assembly from the Closest Point of the Wall


Patented asymmetric seal system of Pacific provides assembly opportunity from the closest point of the wall. Pacific also comes into prominence with a special design allowing cable entries in 3 different diameters.



Cable assembly from the closest point of the wall and without bending with patented seal system



Seal system suitable for cable assembly in three different dimensions enabling cable assembly by compressing the cable



For Vertical Usages, duplicate injection impermeable Vertical Connection Seal to increase the number of case

For Safe Use

Special ground connectors are available as a standard in all products of Pacific to enable grounding for safe and secure use.



For safe usage in switches, quick connecting ground connectors enabling transition



New design grounding contact for safe sockets

Innovative Rapid Screws

Assembly of product upper body onto product base are faster through innovative rapid screws.



Compact Couple

A compact appearance is displayed on the wall with horizontal and vertical Pacific combinations. Ready internal connection pre-made for multi sockets.

Switches (Complete)

WPTC4001-2□□

One-way Switch
10AX, 250V~
Color ○ ○



WPTC4009-2□□

2-gang One-way Switch
10AX, 250V~
Color ○ ○



WPTC4003-2□□

Two-way Switch
10AX, 250V~
Color ○ ○



WPTC4026-2□□

Two-way Push Button
10AX, 250V~
Color ○ ○



WPTC4022-2□□

Shutter Control, Push Button
10AX, 250V~
Color ○ ○



WPTC4024-2□□

Shutter Control, Switch, Mech. Lock
10AX, 250V~
Color ○ ○



WPTC4011-2□□

2-gang Two-way Switch
10AX, 250V~
Color ○ ○




WPTC4002-2□□

One-way Switch, Illuminated
10AX, 250V~
Color ○ ○



WPTC4013-2□□

Double One-way Push Button
10AX, 250V~
Color ○ ○



WPTC4016-2□□

One-way Push Button
10AX, 250V~
Color ○ ○



WPTC4017-2□□

Push Button, Illuminated
10AX, 250V~
Color ○ ○



WPTC4004-2□□


Two-way Switch, Illuminated
10AX, 250V~
Color ○ ○



Accessories (Complete)


WPTC4005-2□□

Intermediate Switch
10AX, 250V~
Color ○ ○



WPTC4715-4NC

Label Kit



WPTC4714-4NC

Vertical Connection Gasket



Sockets (Complete)

WPTC4212-2□□

Socket 2P+E
16A, 250V~
Color ○ ○

WPTC4213-2□□

Socket 2P+E (French)
16A, 250V~
Color ○ ○

WPTC4219-2□□

Socket 2P+E, Lockable
16A, 250V~
Color ○ ○

WPTC4850-2□□

2x Socket 2P+E, Vertical
16A, 250V~
Color ○ ○

WPTC4860-2□□

2x Socket 2P+E (French), Vertical
16A, 250V~
Color ○ ○

WPTC4800-2□□

2x Socket 2P+E
16A, 250V~
Color ○ ○

WPTC4810-2□□

2x Socket 2P+E (French)
16A, 250V~
Color ○ ○

WPTC4840-2□□

3x Socket 2P+E
16A, 250V~
Color ○ ○

Variety of Colors



The last 2 characters in □□ of product numbers show the item color.

- White
- Gray
- WH
- GR

Type of Terminals and Electrical Cables

	Solid Wire	Stranded Wire	Flexible Wire
Screw Terminal	1.0-2.5mm ²	1.0-2.5mm ²	—
Screw Terminal	1.5-2.5mm ²	1.5-2.5mm ²	—

Switches (Complete) + Sockets (Complete)

WPTC4801-2

One-way Switch&Socket 2P+E
10AX, 250V~
Color ○ ○



WPTC4805-2

One-way Illuminated Switch&Socket 2P+E
10AX, 250V~
Color ○ ○



WPTC4803-2

2-gang One-way Switch&Socket 2P+E
10AX, 250V~
Color ○ ○



WPTC4802-2

Two-way Switch&Socket 2P+E
10AX, 250V~
Color ○ ○



WPTC4806-2

Two-way Illuminated Switch&Socket 2P+E
10AX, 250V~
Color ○ ○



WPTC4851-2

One-way Switch&Socket 2P+E, Vertical
10AX, 250V~
Color ○ ○



WPTC4861-2

One-way Switch&Socket 2P+E(Fr), Vert.
10AX, 250V~
Color ○ ○



WPTC4853-2

2-gang One-way Switch&Socket 2P+E, V
10AX, 250V~
Color ○ ○



WPTC4863-2

2-gang One-way Switch&Socket 2P+E FR, V
10AX, 250V~
Color ○ ○



Switches (Complete) + Sockets (Complete)

WPTC4852-2□□

Two-way Switch+Socket 2P+E, V

10AX, 250V~

Color ○○

WPTC4862-2□□

Two-way Switch+Socket 2P+E (French), V

10AX, 250V~

Color ○○

WPTC4856-2□□

Two-way Switch+Socket 2P+E (French), V

10AX, 250V~

Color ○○

WPTC4866-2□□

Two-way Illum. Switch+Socket 2P+E(Fr),V

10AX, 250V~

Color ○○

Variety of Colors



The last 2 characters in □□ of product numbers show the item color.

○ White

— WH

● Gray

— GR

Type of Terminals and Electrical Cables

		Solid Wire	Stranded Wire	Flexible Wire
	Screw Terminal	1.0-2.5mm ²	1.0-2.5mm ²	—
	Screw Terminal	1.5-2.5mm ²	1.5-2.5mm ²	—