## **Product Technical Sheet**

12 Aug 2021 13:12





## **876.4021G** MINI-TRUNKING 40x20mm 1 WAY GREY

**Product Approvals** 

| TECHDATA                |                             | STANDARDS AND LAWS                      |   |
|-------------------------|-----------------------------|---|---|
| Type of product         | MINI-TRUNKING               | EN 50085-1 (2005)                       | [European Standard] Cable trunking<br>systems and cable ducting systems for<br>electrical installations. General<br>requirements  |
| Commercial series       | WADO Series - Mini Trunking |   |   |
| Synthetical description | MINI-TRUNKING               | EN 50085-2-1<br>(2006)                  | [European Standard] Cable trunking<br>systems and cable ducting systems for<br>electrical installations. Cable trunking   |
| Colour                  | GREY                        |   | systems and cable ducting systems<br>intended for mounting on walls and ceilings  |
| Dimensions              | 40x20mm                     | EN 50085-1/A1<br>(2013)                 | [European Standard] Cable trunking<br>systems and cable ducting systems for<br>electrical installations. General<br>requirements  |
| Material                | THERMOPLASTIC               |   |   |
| GLOW WIRE               | GW 650°C                    | EN 50085-2-1/A1<br>(2015)               | [European Standard] Cable trunking<br>systems and cable ducting systems for<br>electrical installations. Cable trunking<br>systems and cable ducting systems<br>intended for mounting on walls and ceilings<br>[European Directives] Low Voltage<br>Directive |
| Protection degree IK    | IK06                        |   |   |
| Protection degree IP    | IP40                        | DIRECTIVE LOW<br>VOLTAGE 2014/35<br>/UE |   |
| Working temperature     | -5°C/+60°C                  |   |   |
| Туре                    | STANDARD LID                |   |   |
| Number of compartments  | 1 WAY                       |   |   |
| Rated voltage           | 1000V                       |   |   |