


Synergy™


Front plates for Arteur mechanisms

Sleek design


Cat. No(s): 8 320 91/92/93/94 - 8 322 91/92/93/94 - 8 324 91/92/93/94



8 320 91



8 322 93



8 324 94

1. USE

Front plates for Arteur mechanisms.
 Flush-mounting or surface-mounting.
 Fixing with screws.

2. RANGE

1-gang for 1 Arteur module

8 320 91	● Brushed stainless steel
8 322 91	● Polished stainless steel
8 324 91	● Glossy gold

1-gang for 2 Arteur modules

8 320 92	● Brushed stainless steel
8 322 92	● Polished stainless steel
8 324 92	● Glossy gold


2-gang for 3 Arteur modules

8 320 93	● Brushed stainless steel
8 322 93	● Polished stainless steel
8 324 93	● Glossy gold

2-gang for 4 Arteur modules

8 320 94	● Brushed stainless steel
8 322 94	● Polished stainless steel
8 324 94	● Glossy gold

3. OVERALL DIMENSIONS (mm)



3. OVERALL DIMENSIONS (mm) (continued)

Cat. Nos	A	B	C	D
8 320 91 - 8 322 91 - 8 324 91	86	86	15	4
8 320 92 - 8 322 92 - 8 324 92	86	146	15	4
8 320 93 - 8 322 93 - 8 324 93	86	146	15	4
8 320 94 - 8 322 94 - 8 324 94	86	146	15	4

5. TECHNICAL CHARACTERISTICS

5.1 Mechanical characteristics

Impact tests: IK 01
 Penetration by solid bodies/liquids: IP 20

5.2 Material characteristics

Plates:
 - BSS: austenitic Brushed Stainless Steel - non magnetic - grade 304 L
 - PSS: Polished Stainless Steel + rust resistance
 - GG: Stainless Steel + rust resistance

Support frame: PC

Halogen free
 UV resistant

Self-extinguishing: 650° C / 30 s

5.3 Climatic characteristics

Storage temperature: - 10° C to + 70° C
 Use temperature: - 5° C to + 35° C

6. CLEANING

Clean the surface with a cloth.
 Do not use acetone, tar-removing cleaning agents or trichloroethylene.

Resistance to the following cleaning substances:
 Hexane (EN 60669-1), Methylated spirit, Soapy water, Diluted ammonia, Diluted pure bleach 10%, Glass cleaning product.

Caution: An initial test is required for the use of other special maintenance products.

7. STANDARDS AND APPROVALS

Compliance with standards of installation and manufacturing.
 See e.catalogue.