DATA SHEET

Valid from: 18.12.2018

FLEXIMARK® Plier FL52ERA FL52A



Produce your own cable and component marking on site.

Cut your holders into desired length.

Punch both holes for cable tie mounting and center hole for screw mounting.

Used for producing FLEXIMARK® Character holders.





Technical data FLEXIMARK® Plier FL52ERA:

Material: Polyamide 6 Details: steel and brass Handles: Glass-reinforced polyamide

Hole punch: Steel

Punch guides: Chromated brass

Storage: Cool and dry in original packaging

Technical data FLEXIMARK® Plier FL52A:

Material: Polyamide 6 Details: steel and brass

Handles: Glass-reinforced polyamide

Hole punch: Steel

Punch guides: Chromated brass

Storage: Cool and dry in original packaging

Other product data:

ETIM Classification: EC002248 Mounting for labelling material

Advantages:

Flexible and durable marking when you need it.

Easy marking on site together with FLEXIMARK® Character holders.

Cable and component marking for indoor and outdoor.

Cut you holders and punch holes for cable ties or screws easily on site.

Punch both holes for cable ties at the same time.

DATA SHEET

Valid from: 18.12.2018

FLEXIMARK® Plier FL52ERA FL52A



Product data:

Part no.	Article designation	Punch both holes for cable ties (size holder mm)	Punch center hole	Content (unit)	PU
83252047	FLEXIMARK Plier FL52ERA	6-12	Yes	1	1
83252024	FLEXIMARK Plier FL52A	19	Yes	1	1

Product data spare parts:

Part no.	Article designation	Content (unit)	PU
83252049	FLEXIMARK Extra knife FL52ERA	1	1
83252052	FLEXIMARK Extra knife FL52A	1	1

Related products:

With the FLEXIMARK® Plier for Character holders PTE, PTES you can both cut your holders into desired length, punch both holes for cable tie mounting and center hole for screw mounting. Within FLEXIMARK® Marking systems assortment we offer character holders in different lengths and widths.

DATA SHEET

Valid from: 18.12.2018

FLEXIMARK® Plier FL52ERA FL52A




Delivery:

FLEIXMARK® Pliers are delivered in package separately.


Mounting:

FLEXIMARK® Character holders can be used for both cable and component marking. You simply punch the holes for cable ties or screws as you need them.


- 1. With FLEXIMARK® Plier FL52ERA, you can punch both holes for cable ties on holders with a width of 6-12mm.
- 1. With FLEXIMARK® Plier FL52A you can punch both holes for cable ties on character holders with a width of 19mm



4. Push the holder through the hole for punching the following holes for cable tie mounting




7. Press the handles for punching center holes.



2. Insert the character holder into the area for punching. Note: Choose the right area for the right width of character holders.




5. Use the front cutting part to cut the punched holders




8. Mount your holder together with cable ties or screw



3. Punch both holes by squeezing the handles



6. Use the front punching part for punching center holes for screw mounting



Foot note:

Photographs are not to scale and do not represent detailed images of the respective products.

Creator: Fleximark/LR	Document: DB83252024EN Version: 02	Page 3 of 3
-----------------------	---------------------------------------	-------------