

Technical Datasheet

Cable Tray System




Cable Tray, light

perforated, with integrated splice plate

RLVC 60.100 F *NX CITO LINE*

EAN Code: 4013339101191



Article Description

Cable tray, perforated, w. integrated splice plate, 60x100x3000mm,CITO, steel, hot dip galvanised DIN EN ISO 1461

Additional Price Information

Article group | N13

Technical Datasheet

Cable Tray System

RLVC 60.100 F ^{NX}CITO_{LINE}

Weight


Weight per quantity unit	1,414 kg
Weight in kg per 100	141 kg

Physical Article Dimensions

Height	65.40 mm
Width	103.50 mm
Depth/length	3058 mm

Load Specifications

Load diagram: q = evenly distributed cable load (tested acc. to DIN EN IEC 61537)



Packing Dimension

6 meters = 1 bundle		✓ VP1-smallest packaging unit (PU)	✓ VP1-preferred PU		
Lenght	3058 mm	Width	109.00 mm	Height	71.00 mm
Gross weight	8,48 kg	Volume	0,023 m ³		
Min. quantity	6	Max. Quantity	6		

720 meters = 1 rack					
Lenght	3058 mm	Width	1162 mm	Height	1120 mm
Gross weight	1116 kg	Volume	3,979 m ³		
Min. Quantity	720.00	Max. Quantity	720.00		

Tender Text

Cable tray, light, acc. to DIN EN 61537, with stamped splice plate for screwless quick fastening and with offset bottom and side perforations for continuous fastening and attachment of the system components, bottom additionally beaded and with continuous central hole or keyhole perforation for suspension with threaded rods M 10/... or M 12/... .

VDE certified!

Dimensions (approx. dimensions) H x W : 60 x 100 mm

Material thickness t : 0.75 mm

Hole perforation : \varnothing 11 mm

Technical Datasheet

Cable Tray System

RLVC 60.100 F ^{NX}CITO_{LINE}

Tender Text

distance : 125 mm
Keyhole perforation : 7 x 38 mm and Ø 12.5 mm distance : 125 mm
Delivery length L : 3000 mm
Usable cross section : 5800 mm²
Material : steel, hot-dip galvanised acc. to DIN EN ISO 1461
NIEDAX Model No. : RLVC 60.100 F
EP material _____ EP wage _____
Unit price/meter

Safety & Environment

REACH Date	17.01.2022
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	DE
Customs tariff number	73089059

Related items

Cover

Model No.	Description
RD 100 F	Cover for cable tray/-ladder, with joint strip, 102x3000 mm, steel, hot dip galvanised DIN EN ISO 1461
RDHF 9 E2	Cover clamp, stainless steel, material code: 1.4310
RDHK 60 E2	Cover retaining clamp, height 58 mm, stainless steel, material code: 1.4310
RDRS 9 F	Turning bolt with locking nut acc. to DIN EN ISO 10511, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
RDV 100 F	Cover for cable tray/-ladder, with joint strip, 102x3000 mm, steel, hot dip galvanised DIN EN ISO 1461

Barrier strip

Model No.	Description
RW 50 F	Barrier strip, 47x3000 mm, t=0,75 mm, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories
RW 60 F	Barrier strip, 55x3000 mm, t=0,75 mm, steel, hot dip galvanised DIN EN ISO 1461, incl. accessories