

ELMARK[®]

The Brand of Electricity

ADDY GOLD



Technical data:

- Nominal voltage: 230V/ 50-60Hz
- Lamp holder: E14
- Colour body: Antique gold and amber glass
- Material: Metal and glass
- Protection against electric shock: I
- Surface requirements: Class F
- Protection against dust and moisture: IP20

Features:

- Safe, low-voltage function
- Attractive design
- Low energy consumption
- Instant lighting with maximum luminous flux
- Environmentally Friendly – does not emit Mercury and Lead (by RoHS Directive)
- No ultraviolet and infrared rays

Area of application:

- General illumination
- Hotels
- Trade facilities
- Domestic applications
- Home interior

TECHNICAL SPECIFICATION

DECOR LUX

ELMARK[®]

The Brand of Electricity

Variants and Dimensions:

Description	Lamp holder	Colour body	Size (mm)			Catalogue number
			Diameter	Length	Height	
Spot	1xE14	Antique gold and amber glass	80	150	150	955ADDY1W/G
Spot	2xE14	Antique gold and amber glass	-	280	165	955ADDY2/G
Spot	3xE14	Antique gold and amber glass	390	-	240	955ADDY31/G
Spot	4xE14	Antique gold and amber glass	-	700	165	955ADDY4/G
Spot	5xE14	Antique gold and amber glass	300	600	180	955ADDY5/G

Barcodes:


3800131214508	955ADDY1W/G
3800131214515	955ADDY2/G
3800131214522	955ADDY31/G
3800131214539	955ADDY4/G
3800131214546	955ADDY5/G

TECHNICAL SPECIFICATION

DECOR LUX

ELMARK[®]

The Brand of Electricity



• EN 55015 • EN 60598-1 • EN 60598-2-1 • EN 61547 •

CE RoHS COMPLIANT

www.elmarkholding.eu