

## DECOR LUX GLOSSY



### **Technical data**

Nominal voltage:	230V/ 50-60Hz
Power:	72W; 96W;
Colour temperature:	4000K
LED type:	SMD
Colour:	Chrome
Material:	Metal & crystal
Colour rendering index:	Ra>80
Switch on/off	>20 000
Long life:	50 000h
Protection against dust and moisture:	IP40

## **Features**

- o *Environmentally friendly - no mercury and lead*
- o *Attractive design*
- o *Low power consumption*
- o *Repeated switch-on/off does not affect the lifespan of the luminaire*
- o *Instant light with maximum luminous flux*
- o *No ultraviolet and infrared rays*
- o *Resistant to shock and vibration stable body*
- o *Low heat emission*

## **Area of application**

- o *Residential Buildings*
- o *General illumination*
- o *Commercial Buildings*
- o *Hotels*
- o *Restaurants*


## **Variants and Dimensions**

Description	Watt (W)	Colour temp. (K)	Whole fixture lumens (lm)	Colour	Size (mm)			Catalogue number
					Width	Length	Height	
<b>Chandelier</b>	96	4000	7680lm	Chrome	520	920	800	955GLOSSY96
<b>Chandelier</b>	72	4000	5760lm	Chrome	535	-	800	955GLOSSY72

## Barcodes

955GLOSSY96	3800131198525
955GLOSSY72	3800131198532

## Energy efficiency



## Standards

- EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 61347-1 • EN 61347-2-13 • EN 13032-4 •

