


DOWNLIGHTS

SA-71/ SA-91



Technical data

<i>Rated voltage:</i>	12V; 230V; 50-60Hz
<i>Power:</i>	Max 50W
<i>Lamp holder (commercial kit):</i>	GU5.3 silicone cable 0,75 mm ² and a length of 100mm
<i>Light source(optional):</i>	Recommended MR- 16 lamp, socket GU5.3, Voltage - 12V, diameter - 50mm
<i>Model options:</i>	Fixed (SA-71) / Moveable (SA-91)
<i>Body:</i>	Aluminium alloy
<i>Installation:</i>	Indoor recessed mounting
<i>Protection against electric shock:</i>	III
<i>Protection against ignition and fire:</i>	Class F
<i>Protection against dust and moisture:</i>	IP20

*NOTE: With the purchase of additional lampholder GU10, spotlight can be used with 230V GU10 lamps.


Features

- o Ideal for flexible and functional architectural solutions
- o Compact size
- o Variety of colors
- o Easy maintenance

Area of application

- o Hotels
- o Restaurants
- o Shops
- o Corridors
- o Conference Halls

Variants and Dimensions



o SA-71


Model	Fitting	Colour body	Size (mm)			Catalogue number
			Diameter	Height	Diameter1	
SA-71	Fixed	Satin nickel/gold	79	25	60	9271/SN-G
SA-71	Fixed	Satin nickel/chrome	79	25	60	9271/SN-CH
SA-71	Fixed	Pearl chrome/chrome	79	25	60	9271/PCH-CH
SA-71	Fixed	Satin gold/chrome	79	25	60	9271/SG-CH
SA-71	Fixed	Graphite/chrome	79	25	60	9271/GR-CH
SA-71	Fixed	Graphite/gold	79	25	60	9271/GR-G

TECHNICAL SPECIFICATION

○ **SA-91**

Model	Fitting	Colour body	Size (mm)			Catalogue number
			Diameter	Height	Diameter1	
SA-91	Movable	Satin nickel/gold	82	25	73	9291/SN-G
SA-91	Movable	Satin nickel/chrome	82	25	73	9291/SN-CH
SA-91	Movable	Pearl chrome/chrome	82	25	73	9291/PCH-CH
SA-91	Movable	Satin gold/chrome	82	25	73	9291/SG-CH
SA-91	Movable	Graphite/chrome	82	25	73	9291/GR-CH
SA-91	Movable	Graphite/gold	82	25	73	9291/GR-G

Energy efficiency



Standards

● EN 60598-1 ● EN 60598-2-2 ●

