

## FACADE AND GROUND LIGHTING

### GRF76



#### **Technical data**

<i>Rated voltage:</i>	220-240V/ 50-60Hz
<i>Lamp holder:</i>	GU10
<i>Body colour:</i>	Antique brass
<i>Material:</i>	Brass
<i>Protection against dust and moisture:</i>	IP65
<i>Installation:</i>	Surface mounting on a wall

# TECHNICAL SPECIFICATION

## ***Area of application***

- *Suitable for outdoor use*
- *Gardens*
- *Additional*
- *Aesthetic*
- *Architectural lighting for garden*
- *Spectacular*
- *Parks*


## ***Variants and Dimensions***

	<i>Lamp holder</i>	<i>Colour body</i>	<i>Size (mm)</i>			<i>Catalogue number</i>
			<b><i>Width</i></b>	<b><i>Length</i></b>	<b><i>Height</i></b>	
<b>GRF76-2</b>	2XGU10	Antique brass	76	76	135	96GRF76-2/AB
<b>GRF76-1</b>	1XGU10	Antique brass	76	60	76	96GRF76-1/AB

## ***Barcodes***

3800131200464	96GRF76-2/AB
3800131200471	96GRF76-1/AB

## *Energy efficiency*



## *Standards*

- 60598-1 • 60598-2-2 •

