

EL[®]MARK

The Brand of Electricity

BELLA LUMINAIRE WITH LED TUBES T5



TECHNICAL SPECIFICATION

OUTDOOR- LED FIXTURES

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V/ 50-60Hz
- Power: 1x10W; 1x20W; 2x10W
- Colour temperature: 4000K; 6400K
- LED source: LED tubes T5
- Base: G5
- Colour: Grey
- Body: Polycarbonate
- Diffuser: Polycarbonate
- Reflector: Steel white
- Clips: INOX
- Colour rendering index: Ra≥80
- Switch on/off: 20 000
- Average life: 30 000h
- Protection against dust and moisture: IP65

Features:

- Replacement of conventional fluorescent tubes with highly efficient LED strip
- Installation options: surface ceiling mounting
- Low power consumption
- Repeated switch-on/off does not affect the lifespan of the luminaire
- Instant light with maximum luminous flux
- No ultraviolet and infrared rays
- Stable and functional light distribution

Area of application:

- Damp areas
- Dusty environment
- Kitchen premises
- Roofed outdoor areas


TECHNICAL SPECIFICATION

OUTDOOR- LED FIXTURES

ELMARK®

The Brand of Electricity


Variants and Dimensions:



with LED tubes ELMARK



Watt	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Size (mm)			Catalogue number	Packing (pcs)
				Length	Width	Height		
1X10	1000	4000	grey	670	74	80	9BE114LEDW	1
1X20	2000	4000	grey	1210	64	85	9BE128LEDW	1
2X10	2000	4000	grey	670	106	80	9BE214LEDW	1
1X10	1000	6400	grey	670	74	80	9BE114LEDCW	1
1X20	2000	6400	grey	1210	64	85	9BE128LEDCW	1
2X10	2000	6400	grey	670	106	80	9BE214LEDCW	1



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4 •

CE RoHS COMPLIANT

www.elmarkholding.eu