

TECHNICAL SPECIFICATION

Garden lighting GRF965



Technical characteristics

Nominal voltage:	230V
	50-60Hz
Power of the light source:	Max 23W (not included in the commercial kit)
Lampholder:	E27
Housing:	Aluminum
Diffuser:	Polycarbonate (PC)
Type Installation:	Surface mounting on a wall
	Ground mounting

Safety:


Dust and humidity protection level:	IP65
Protection against electric shock:	I
Surface requirements:	Class F

Areas of application

- Suitable for outdoor use
- Gardens
- Parks

Variants and dimensions

- GRF965-W (wall mounting)




Model	Watt	Colour body	Size (mm)			Catalogue number	Packing (pcs)
			Length	Width	Height		
GRF965	max 23W	dark grey	200	175	190	965W200	8

- GRF965 (ground mounting)





Model	Watt	Colour body	Size (mm)		Catalogue number	Packing (pcs)
			Length	Width		
GRF965	max 23W	dark grey	300	175	965P300	8
GRF965	max 23W	dark grey	500	175	965P500	4
GRF965	max 23W	dark grey	800	175	965P800	4


Energy efficiency




This luminaire is compatible with bulbs of the energy classes:









965W200
965P300
965P500
965P800

874/2012

Barcodes

Barcode	Catalogue number
3800131186225	965W200
3800131186232	965P300
3800131186249	965P500
3800131186256	965P800

Standards

EN 60598-1

EN 60598-2-1

