

EL[®]MARK

The Brand of Electricity

LEDSMD GU10



Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 3W; 6W; 6.5W; 8W
- Colour temperature: 2700K; 4000K; 6400K; red; green; blue
- LED source: Epistar SMD2835
- Lamp holder: GU10
- Beam angle: 120°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Average life: 30 000h
- Power factor: $\lambda > 0.8$
- Starting time: < 0.5s
- Protection degree: IP20

Features:

- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Correct operation even at low temperature.
- Instant-on light.

Area of application:

- General illumination
- Domestic applications
- Outdoor applications only in suitable luminaires


TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Variants and Dimensions:



▪ LED LAMP SMD2835 120°



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
3	-	GU10	270	4000	120°	53	50	99LED727
3	-	GU10	270	2700	120°	53	50	99LED728
6.5	-	GU10	585	6400	120°	53	50	99LED796
6.5	-	GU10	585	4000	120°	53	50	99LED729
6.5	-	GU10	585	2700	120°	53	50	99LED730
8	-	GU10	720	6400	120°	56	50	99LED831CW
8	-	GU10	720	4000	120°	56	50	99LED831W
8	-	GU10	720	2700	120°	56	50	99LED831WW

▪ LED LAMP SMD5050 COLOR



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
6	-	GU10	-	red	120°	53	50	99LED733
6	-	GU10	-	blue	120°	53	50	99LED734
6	-	GU10	-	green	120°	53	50	99LED735

TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]


The Brand of Electricity

▪ LED LAMP SMD2835 120° DIMMABLE



Watt	Dimmable	Lamp holder	LED lamp lumens	Colour temp.	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
(W)			(lm)	(K)				
6.5	Yes	GU10	585	4000	120°	53	50	99LED731
6.5	Yes	GU10	585	2700	120°	53	50	99LED732

Additional information:



Catalogue number	Barcode
99LED727	3800131192059
99LED728	3800131192066
99LED796	3800131205124
99LED729	3800131192073
99LED730	3800131192080
99LED733	3800131192110
99LED734	3800131192127
99LED735	3800131192134
99LED731	3800131192097
99LED732	3800131192103

EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012



www.elmarkholding.eu