

EL[®]MARK

The Brand of Electricity

LED LAMPS

PLC



TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 15W;
- Colour temperature: 2700K
- LED source: SMD 2835
- Lamp holder: C24d
- Beam angle: 120°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Average life: 30 000h
- Protection degree: IP20

Features:

- Lower maintenance cost thanks to longer lifetime
- Retrofit solution to traditional CFL PLC Lamps
- Reduced operational cost thanks to lower energy consumption.
- Mercury free.
- Maximum resistance to switching loads.
- Compact and efficient.
- Correct operation even at low temperature.
- Instant-on light.

Area of application:

- General illumination
- Domestic applications
- Directional light sources
- Outdoor applications only in suitable luminaires

TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Variants and Dimensions:



Watt (W)	Lamp holder	LED type	LED lamp lumens (lm)	Colour temp. (K)	Beam angle	Size (mm)		Catalogue number
						Length	Diameter	
15	C24d	SMD 2835	1350	2700	120°	193	38	99LED93

Barcodes:


99LED553	3800131181077
----------	---------------

TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 62560 • EN 13032-4 • EN 50581:2012

CE RoHS COMPLIANT