

EL[®]MARK

The Brand of Electricity

STELLAR SLIM

XSET24DC CONSTANT

VOLTAGE DRIVERS

FOR LED



Technical data:

- Input voltage: AC180-240V-24V DC ; AC176-264V - 24V DC
- Output voltage: 24V DC
- Power options: 60W; 100W; 150W; 250W; 360W
- Protection against dust and moisture: IP20


Features:

- Universal AC input / Full range
- Protection: Short circuit/Over load/Over voltage
- Cooling by free air convection
- High efficiency and reliability

Area of application:

- LED Lighting systems
- LED strip lighting systems
- Decorative LED lighting

Variants and Dimensions:



TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity



Model	Watt (W)	IP code	Voltage Uin / Uout	Size (mm)			Catalogue number
				Length	Width	Height	
XSET24DC60	60	IP20	AC180-240V - 24V DC	160	40	33	99XSETDC6024IP20



Model	Watt (W)	IP code	Voltage Uin / Uout	Size (mm)			Catalogue number
				Length	Width	Height	
XSET24DC100	100	IP20	AC180-240V - 24V DC	188	47	36	99XSETDC10024IP20
XSET24DC150	150	IP20	AC180-240V - 24V DC	199	58	39	99XSETDC15024IP20
XSET24DC250	250	IP20	176/264V AC - 24V DC	223	68	40	99XSETDC25024IP20



Model	Watt (W)	IP code	Voltage Uin / Uout	Size (mm)			Catalogue number
				Length	Width	Height	
XSET24DC360	360	IP20	176/264V AC - 24V DC	223	68	40	99XSETDC36024IP20

TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Additional information:

Catalogue number	Barcodes	Packing/Box (pcs)
99XSETDC6024IP20	3800131217103	1/100
99XSETDC10024IP20	3800131217110	1/60
99XSETDC15024IP20	3800131217127	1/50
99XSETDC25024IP20	3800131235022	1/36
99XSETDC36024IP20	3800131235046	1/36

