

## TECHNICAL SPECIFICATION


### Fixed terminal blocks



#### Description:

Fixed terminal blocks with universal application into electrical distribution boxes. For DIN-rail mounting. Variety of sizes for optimum using of available space by selection of appropriate terminals for the corresponding conductors. Made of non-flammable insulation polymeric material.

#### Variants and dimensions:



Type	Section of the conductor (mm <sup>2</sup> )		Size of the terminal			In (A)	Un (V)	Colour	Packing / Box (pcs)	Catalogue number
	single core	multicore	L	H	W					
LTU2UK 3N	0.2 – 4	0.2 – 2.5	42.5	47	5.2	32	800	grey	50/3000	31033
LTU2UK 3N	0.2 – 4	0.2 – 2.5	42.5	47	5.2	32	800	red	50/3000	31032
LTU2UK 3N	0.2 – 4	0.2 – 2.5	42.5	47	5.2	32	800	black	50/3000	31031
LTU2UK 3N	0.2 – 4	0.2 – 2.5	42.5	47	5.2	32	800	blue	50/3000	31035

Type	Section of the conductor (mm <sup>2</sup> )		Size of the terminal			In (A)	Un (V)	Colour	Packing / Box (pcs)	Catalogue number
	single core	multicore	L	H	W					
LTU2UK 5N	0.2 – 6	0.2 – 4	42.5	47	6.2	41	800	grey	50/2000	31053
LTU2UK 5N	0.2 – 6	0.2 – 4	42.5	47	6.2	41	800	red	50/2000	31052
LTU2UK 5N	0.2 – 6	0.2 – 4	42.5	47	6.2	41	800	black	50/2000	31051
LTU2UK 5N	0.2 – 6	0.2 – 4	42.5	47	6.2	41	800	blue	50/2000	31055





Type	Section of the conductor (mm <sup>2</sup> )		Size of the terminal			In (A)	Un (V)	Colour	Packing / Box (pcs)	Catalogue number
	single core	multicore	L	H	W					
LTU2UK 6N	0.2 – 10	0.2 – 6	42.5	47	8.2	57	800	grey	50/1000	31063
LTU2UK 6N	0.2 – 10	0.2 – 6	42.5	47	8.2	57	800	red	50/1000	31062
LTU2UK 6N	0.2 – 10	0.2 – 6	42.5	47	8.2	57	800	black	50/1000	31061
LTU2UK 6N	0.2 – 10	0.2 – 6	42.5	47	8.2	57	800	blue	50/1000	31065



Type	Section of the conductor (mm <sup>2</sup> )		Size of the terminal			In (A)	Un (V)	Colour	Packing / Box (pcs)	Catalogue number
	single core	multicore	L	H	W					
LTU2UK 10N	0.5 – 16	0.5 – 10	42.5	47	10.2	76	800	grey	50/1000	31103
LTU2UK 10N	0.5 – 16	0.5 – 10	42.5	47	10.2	76	800	red	50/1000	31102
LTU2UK 10N	0.5 – 16	0.5 – 10	42.5	47	10.2	76	800	black	50/1000	31101
LTU2UK 10N	0.5 – 16	0.5 – 10	42.5	47	10.2	76	800	blue	50/1000	31105



Type	Section of the conductor (mm <sup>2</sup> )		Size of the terminal			In (A)	Un (V)	Colour	Packing / Box (pcs)	Catalogue number
	single core	multicore	L	H	W					
LTU2UIK 16	2.5 – 25	4 – 16	42.5	47	12.2	101	800	grey	50/1000	31163
LTU2UIK 35	10 – 35	10 – 35	55	62	15.2	125	800	grey	20 / 400	31353



## Standard:

EN 60947-7-1

