

ELMARK[®]

The Brand of Electricity

HD 2MP BULLET CAMERA

IP66



TECHNICAL PARAMETERS »

- ∴ IR Distance: up to 20m
- ∴ Image Sensor: 1/2.9" progressive CMOS
- ∴ Signal system: PAL/NTSC
- ∴ Frame Rate: AHD/TVI/CVI: P/25fps N/30fps/ CVBS: 960H
- ∴ Resolution: 2MP 1920(H)×1080(V)
- ∴ Lens: 3.6mm
- ∴ Day & Night: IR cut filter: 850nm
- ∴ Synchronization: internal
- ∴ Dwdr: support
- ∴ Communication: Up the coax, protocol

MENU »

- ∴ AGC: yes
- ∴ Day/Night Mode: EXT/auto/color/black and white)
- ∴ White balance: auto/manual
- ∴ BLC: yes
- ∴ S/N ratio: 40dB
- ∴ OSD: support

INTERFACE »

- ∴ Video Output: 1-channel BNC video output
- ∴ Switch Button: AHD/TVI/CVI/CVBS

PRODUCT DETAILS »

Model	Input voltage	Power	Catalogue number
EL-2232	12V DC	max 3W	195054

ADDITIONAL INFORMATION »

Catalogue number	Barcode	Packing (pcs) /carton
195054	3800131230874	1

