## **Product data sheet**

Specifications



# Volume control, New Unica, 12V, 2 modules, Beige

NU360244

#### Main

Aesthetic name	New Unica
Product or component type	Volume controller
Device presentation	Mechanism
Fixing mode	Clip-in
[Ue] rated operational voltage	12 V
Number of modules	2 modules
Colour tint	Beige (RAL 1013)

#### Complementary

Dimmer control	Rotary
Marking	Volume symbol + -
Connections - terminals	Screw terminals
Clamping connection capacity	1.52.5 mm²
Material	PC (polycarbonate): casing
Product certifications	CE
Embedding depth	30 mm
Depth	43.95 mm
Width	45 mm
Height	45 mm

#### **Environment**

IK degree of protection	IK01
IP degree of protection	IP20

#### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.3 cm
Package 1 Width	7.7 cm


Package 1 Length	8.6 cm
Package 1 Weight	69.7 g
Unit Type of Package 2	S03
Number of Units in Package 2	57
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	4.414 kg
Unit Type of Package 3	P06
Number of Units in Package 3	456
Package 3 Height	77 cm
Package 3 Width	60 cm
Package 3 Length	80 cm
Package 3 Weight	43.811 kg

### Offer Sustainability

REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
RoHS exemption information	Yes

**Technical Illustration** 

#### Wiring Diagram



#### **A** A DANGER

#### HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

The product must be installed and connected by a qualified electrician. A qualified electrician must demonstrate an in-depth knowledge of:

- Construction of electrical installations in buildings in accordance with IEC 60364
- Additional safety standards, local connection rules, and building regulations
- · Standardized tools and measuring equipment

Failure to follow these instructions will result in death or serious injury.

Recommended replacement(s)