

# Product data sheet

Specifications

## Cover frame, Unica Pure, 3 gangs, white



NU600689

### Main

|                           |                  |
|---------------------------|------------------|
| Range                     | New Unica        |
| Device application        | Mounting         |
| Product or component type | Cover frame      |
| Aesthetic name            | Unica Pure       |
| Number of gangs           | 3 gangs          |
| Installation direction    | Horizontal       |
| Type of frame             | Triple           |
| Number of modules         | 3 x 2 modules    |
| Fixing mode               | Clip-in          |
| Colour tint               | White            |
| Side color                | White (RAL 9003) |

### Complementary

|                               |                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material                      | Polycarbonate: intermediate plate<br>Plexiglass: cover frame                                                                                                                                                                                                                                                                        |
| Standards                     | IEC 60669-1<br>IEC 60884-1                                                                                                                                                                                                                                                                                                          |
| Width                         | 226 mm                                                                                                                                                                                                                                                                                                                              |
| Height                        | 90 mm                                                                                                                                                                                                                                                                                                                               |
| Depth                         | 11 mm                                                                                                                                                                                                                                                                                                                               |
| Net weight                    | 0.072 kg                                                                                                                                                                                                                                                                                                                            |
| Resistance to chemical agents | Resistant to alcohol (70 %)<br>Resistant to alcohol (96 %)<br>Resistant to A-Lactic Acid<br>Resistant to diluted quaternary ammonium<br>Resistant to diluted bleach<br>Resistant to diluted ammonia<br>Resistant to soapy water<br>Resistant to crystal cleaner<br>Resistant to hydrogen peroxide 10 volumes<br>Resistant to hexane |

### Environment

|                         |       |
|-------------------------|-------|
| IK degree of protection | IK01  |
| IP degree of protection | IP21D |

## Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 2.5 cm   |
| Package 1 Width              | 9.5 cm   |
| Package 1 Length             | 26.5 cm  |
| Package 1 Weight             | 135.0 g  |
| Unit Type of Package 2       | S02      |
| Number of Units in Package 2 | 12       |
| Package 2 Height             | 15.0 cm  |
| Package 2 Width              | 30.0 cm  |
| Package 2 Length             | 40.0 cm  |
| Package 2 Weight             | 1.906 kg |

## Offer Sustainability

|                            |                                                                                                             |
|----------------------------|-------------------------------------------------------------------------------------------------------------|
| REACH Regulation           | <a href="#">REACH Declaration</a>                                                                           |
| REACH free of SVHC         | Yes                                                                                                         |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>           |
| Toxic heavy metal free     | Yes                                                                                                         |
| Mercury free               | Yes                                                                                                         |
| China RoHS Regulation      | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |
| RoHS exemption information | <a href="#">Yes</a>                                                                                         |
| Circularity Profile        | No need of specific recycling operations                                                                    |

## Recommended replacement(s)