

EL[®]MARK

The Brand of Electricity

COMPACT FLUORESCENT LAMPS

PLC4P



TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V; 50-60Hz
- Power: 13W
- Power supply: electronic control gear
- Colour temperature: 2700K; 4000K; 6400K
- Lamp holder: G24d
- Colour rendering index: Ra≥80
- Average lifetime: 8000h
- Lamp mercury content: < 2mg
- Switching cycles: >10000
- Warm-up time: <2s
- Operating temperature: -20°C ÷ +40°C
- Dimmable: no
- Protection degree: IP20

Features:

- Perfect replacement for incandescent or halogen bulbs
- Using 75 percent less energy than standard incandescent bulbs
- Lasting up 8 to 10 times longer than incandescent bulbs
- More variety in light colors than incandescent bulbs

Area of application:

- Residential and commercial application
- Hotels, restaurants, facility management
- Outdoor use in enclosed and ventilated luminaires only


TECHNICAL SPECIFICATION

LAMPS AND COMPONENTS


ELMARK

The Brand of Electricity

Variants and Dimensions:



Catalogue number	Model	Watt (W)	Lamp holder	Lumen (lm)	Colour temp. (K)	Packing/Box (pcs)
99270375	PLC4P	13	G24d	780	2700	1/100
99270376	PLC4P	13	G24d	780	4000	1/100
99270089	PLC4P	13	G24d	780	6400	1/100



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60901 • EN 50581:2012

CE RoHS COMPLIANT

www.elmarkholding.eu