

EL[®]MARK

The Brand of Electricity

TRI-PROOF LED FIXTURES IP65



GENERAL INFORMATION »

- ∴ Rated voltage: 230V/ 50-60Hz
- ∴ Power: 18W; 36W; 45W
- ∴ Color temperature: 4000K
- ∴ Beam angle: 120°
- ∴ Efficiency: 80lm/W
- ∴ Body: PC + ABS
- ∴ Body Color: White
- ∴ Colour rendering index: Ra≥80
- ∴ Average life: 20 000h
- ∴ Protection against mechanical impacts: IK08
- ∴ Protection against dust and moisture: IP65
- ∴ Mounting: Surface

FEATURES »

- ∴ Replacement of conventional fluorescent tubes with highly efficient LED strip
- ∴ Installation options: surface ceiling mounting
- ∴ Low power consumption
- ∴ Repeated switch-on/off does not affect the lifespan of the luminaire
- ∴ Instant light with maximum luminous flux
- ∴ No ultraviolet and infrared rays
- ∴ Stable and functional light distribution

AREAS OF APPLICATION »


- ∴ Damp areas
- ∴ Dusty environment
- ∴ Kitchen premises
- ∴ Roofed outdoor areas

PRODUCT DETAILS »

Catalogue number	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body
9EL1181840	18	1440	4000	White
9EL1183640	36	2880	4000	White
9EL1184540	45	3600	4000	White

DIMENSIONS »

Model	Length (mm)	Height(mm)
9EL1181840	610	28
9EL1183640	1240	28
9EL1184540	1510	28



ADDITIONAL INFORMATION »

Catalogue number	Barcode	Packing/Box (pcs)
9EL1181840	3800131252616	1/25
9EL1183640	3800131252623	1/25
9EL1184540	3800131252630	1/25

