

# EL<sup>®</sup>MARK

## The Brand of Electricity FOUR POLES MAGNETIC LED LIGHTS, FGL and FFL SERIES



### DESCRIPTION »

Magnetic LED spot with mounting to a magnetic modular system, suitable for commercial sites, homes, hotels, offices and other premises. It can be mounted anywhere along the power rail and the light can be directed where needed. The advantage of this type of luminaires is that they have a high light output without glare.

### GENERAL INFORMATION »


- ∴ Input Voltage: 48V
- ∴ Power: 6W; 12W
- ∴ Colour temperature: 3000K; 4000K
- ∴ Body material: Metal
- ∴ Body colour: Black
- ∴ Beam angle: 36°
- ∴ Switch on/off: >20 000
- ∴ Colour rendering index: Ra≥80
- ∴ Protection against dust and moisture: IP20

# TECHNICAL SPECIFICATION SHEET




## PRODUCT DETAILS »

Catalogue number	Type	Watt (W)	Whole fixture lumens (lm)	Lumens efficiency	Colour temp. (K)	Beam angle
93M20FGL0630/BL	Magnet foldable LED light	6	520	87lm/W	3000	36°
93M20FGL0640/BL	Magnet foldable LED light	6	520	87lm/W	4000	36°
93M20FGL1230/BL	Magnet foldable LED light	12	870	73lm/W	3000	36°
93M20FGL1240/BL	Magnet foldable LED light	12	870	73lm/W </td <td>4000</td> <td>36°</td>	4000	36°
93M20FFL0630/BL	Magnet foldable LED light	6	360	60lm/W	3000	36°
93M20FFL0640/BL	Magnet foldable LED light	6	360	60lm/W	4000	36°
93M20FFL1230/BL	Magnet foldable LED light	12	740	62lm/W	3000	36°
93M20FFL1240/BL	Magnet foldable LED light	12	740	62lm/W	4000	36°

## DIMENSIONS »



Catalogue number	Length (mm)	Height(mm)
93M20FGL0630/BL	113	55
93M20FGL0640/BL	113	55
93M20FGL1230/BL	226	55
93M20FGL1240/BL	226	55
93M20FFL0630/BL	200	55
93M20FFL0640/BL	200	55
93M20FFL1230/BL	300	55
93M20FFL1240/BL	300	55



[ADDITIONAL INFORMATION »](#)

Catalogue number	Barcode	Packing
93M20FGL0630/BL	3800131246073	1
93M20FGL0640/BL	3800131246080	1
93M20FGL1230/BL	3800131246097	1
93M20FGL1240/BL	3800131246103	1
93M20FFL0630/BL	3800131246110	1
93M20FFL0640/BL	3800131246127	1
93M20FFL1230/BL	3800131246134	1
93M20FFL1240/BL	3800131246141	1

