

EL[®]MARK

The Brand of Electricity FOUR POLES MAGNETIC LED LIGHTS, PL/PLB & TLB SERIES



[DESCRIPTION »](#)

Magnetic LED pendant and fixtures are mounted to a magnetic modular system, suitable for commercial sites, homes, hotels, offices and other premises. It can be mounted anywhere along the power rail and the light can be directed where needed. The advantage of this type of luminaires is that they have a high light output without glare.

[GENERAL INFORMATION »](#)

- ∴ Input Voltage: 48V
- ∴ Power: 9W; 10; 12W
- ∴ Colour temperature: 3000K; 4000K
- ∴ Body material: Metal
- ∴ Body colour: Black
- ∴ Beam angle: 36°
- ∴ Switch on/off: >20 000
- ∴ Protection against dust and moisture: IP20




TECHNICAL SPECIFICATION SHEET

PRODUCT DETAILS »

Catalogue number	Type	Watt (W)	Whole fixture lumens (lm)	Lumen efficiency	Colour temp. (K)	Beam angle
93M20PL0930/BL	Magnet LED pendant light	9	920	102lm/W	3000	36°
93M20PL0940/BL	Magnet LED pendant light	9	920	102lm/W	4000	36°
93M21PLB1030/BL	Magnet LED pendant light	12	920	77lm/W	3000	36°
93M21PLB1040/BL	Magnet LED pendant light	12	920	77lm/W	4000	36°
93M21TLB1030/BL	Magnet LED fixture	12	920	77lm/W	3000	36°
93M21TLB1040/BL	Magnet LED fixture	12	920	77lm/W	4000	36°
93M20PLB1030/BL	Magnet LED pendant light	10	860	86lm/W	3000	36°
93M20PLB1040/BL	Magnet LED pendant light	10	860	86lm/W	4000	36°
93M20TLB1030/BL	Magnet LED fixture	10	860	86lm/W	3000	36°
93M20TLB1040/BL	Magnet LED fixture	10	860	86lm/W	4000	36°

DIMENSIONS »

Catalogue number	Length (mm)	Diameter (mm)
93M20PL0930/BL	262	50
93M20PL0940/BL	262	50
93M21PLB1030/BL	1000	100
93M21PLB1040/BL	1000	100
93M21TLB1030/BL	100	100
93M21TLB1040/BL	100	100
93M20PLB1030/BL	1000	100
93M20PLB1040/BL	1000	100
93M20TLB1030/BL	100	100
93M20TLB1040/BL	100	100



[ADDITIONAL INFORMATION »](#)

Catalogue number	Barcode	Packing
93M20PL0930/BL	3800131246233	1
93M20PL0940/BL	3800131246240	1
93M21PLB1030/BL	3800131246257	1
93M21PLB1040/BL	3800131246264	1
93M21TLB1030/BL	3800131246295	1
93M21TLB1040/BL	3800131246301	1
93M20PLB1030/BL	3800131246257	1
93M20PLB1040/BL	3800131246264	1
93M20TLB1030/BL	3800131246271	1
93M20TLB1040/BL	3800131246288	1

