

# EL<sup>®</sup>MARK

The Brand of Electricity

## LED DOWNLIGHT

TS0940; TS1540; TS2440; TS3040



### GENERAL INFORMATION »

- ∴ Nominal voltage: 220-240VAC
- ∴ LED Chip: SANAN 2835 SMD
- ∴ Colour body: White
- ∴ Material: Aluminium + PC
- ∴ Protection against dust and moisture: IP44
- ∴ Beam angle: 60°
- ∴ Driver: external isolated driver
- ∴ Short circuit protection
- ∴ Energy class



### FEATURES »

- ∴ Environmentally friendly - no mercury and lead
- ∴ Modern design
- ∴ Resistant to shock and vibration stable body
- ∴ Low heat emission

### AREAS OF APPLICATION »

- ∴ Medical and cosmetic offices
- ∴ Workplaces
- ∴ Hotels
- ∴ Restaurants
- ∴ At home

## [PRODUCT DETAILS »](#)

Catalogue number	Catalogue number with Emergency kit	Colour body	Watt (W)	Whole fixture lumens(Lm)	Colour temp. (K)
92TS0940/WH	92TS0940/WHE	white	9	765	4000
92TS0930/WH	92TS0930/WHE	white	9	765	3000
92TS0964/WH	92TS0964/WHE	white	9	765	6400
92TS1540/WH	92TS1540/WHE	white	15	1275	4000
92TS1530/WH	92TS1530/WHE	white	15	1275	3000
92TS1564/WH	92TS1564/WHE	white	15	1275	6400
92TS2440/WH	92TS2440/WHE	white	24	2040	4000
92TS2430/WH	92TS2430/WHE	white	24	2040	3000
92TS2464/WH	92TS2464/WHE	white	24	2040	6400
92TS3040/WH	92TS3040/WHE	white	30	2550	4000
92TS3030/WH	92TS3030/WHE	white	30	2550	3000
92TS3064/WH	92TS3064/WHE	white	30	2550	6400

## [DIMENSIONS »](#)

Catalogue number	Diameter (mm)	Height (mm)	Diameter1 (mm)
92TS0940/WH	95	65	80
92TS0930/WH	95	65	80
92TS0964/WH	95	65	80
92TS1540/WH	115	70	95
92TS1530/WH	115	70	95
92TS1564/WH	115	70	95
92TS2440/WH	140	70	120
92TS2430/WH	140	70	120
92TS2464/WH	140	70	120
92TS3040/WH	185	80	150
92TS3030/WH	185	80	150
92TS3064/WH	185	80	150

[ADDITIONAL INFORMATION »](#)

Catalogue number	Barcode	Packing/Box (pcs)
92TS0940/WH	3800131242105	1/60
92TS0930/WH	3800131243218	1/60
92TS0964/WH	3800131243225	1/60
92TS1540/WH	3800131242112	1/40
92TS1530/WH	3800131243232	1/40
92TS1564/WH	3800131243249	1/40
92TS2440/WH	3800131242129	1/24
92TS2430/WH	3800131243256	1/24
92TS2464/WH	3800131243263	1/24
92TS3040/WH	3800131242136	1/18
92TS3030/WH	3800131243270	1/18
92TS3064/WH	3800131243287	1/15

