

COMPANY UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES

GLOBE 400 CLASSIC

LARGE SIZE



Ø 400 mm PMMA globe, complete with classic base made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top, hanging and wall installation. Base provided with E27 lampholder and prepared for louvre fixation. Insulation class II, protection rating IP65.

Globo Ø 400 mm in polimetilmetacrilato (PMMA) completo di base classica realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo, a sospensione o a parete. Base fornita con portalampada E27 e predisposta per il fissaggio del frangiluce. Classe di isolamento II, grado di protezione IP65.

G40.B40.E27FC1






GLOBE 400 CLASSIC - COMPONENTS

IP65



400 mm GLOBE made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only. Available in clear, opal or smoked colour.

GLOBO Ø 400 mm in polimetilmetacrilato (PMMA), resistente all'ingiallimento ed ai raggi UV, realizzato in un unico pezzo. Disponibile nei colori trasparente, bianco o fumé.



Chrome aluminium **LOUVRE** with a laminar symmetrical optic system to direct the lighting output and to get a lower dazzle (optional).

FRANGILUCE in alluminio cromato con sistema ottico lamellare a ripartizione simmetrica per orientare il fascio di luce e ridurre l'abbagliamento (opzionale).

Globe **BASE**, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free, consisting of a support and of a cover provided with E27 lampholder. A rubber gasket assures the protection of the electrical accessories seat against external agents.

BASE del globo, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Composta da un supporto e da un coperchio in cui si trova l'alloggiamento per il portalamпада E27 (incluso). Una guarnizione in gomma garantisce la protezione dell'alloggiamento degli accessori elettrici dagli agenti esterni.

GLOBE 400 CLASSIC

G40.B40 *



Dimensions and weight

Height: 410 mm
Diameter: 400 mm
Junction to support: diameter 60 mm
Weight: 2,3 Kg
Area exposed to wind pressure: CxS = m² 0,122

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal Smoked

CHROME ALUMINIUM LOUVRE

H.FC1 closed
Upward position



H.FC6 open
Downward position



E27

*ADD. SUFFIX



suitable lamps:


CFL-LED
max 50W

E27
Lampholder only

.E27

Globe complete with classic base and E27 lampholder.

PHOTOMETRIC DATA SAMPLE



GLOBE 400 clear E27 High Power LED 50W.

POST height 3,5mt
10x10mt area: average 7 lux


The photometric data for all the versions are available upon request or on our website.

* ADD THE ABOVE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

COMPANY UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES

TABOR/GLOBE 400 CLASSIC

LARGE SIZE



G40.204.R30



G40.132



G40.204



MADE IN ITALY



OFIR/G400
G40.132

Pcs 2
Kg 6,1
mc 0,133

ADAM/G400
G40.171

Pcs 2
Kg 7,5
mc 0,192

GLOBE 400 CLASSIC
G40.B40

Pcs 2
Kg 4,7
mc 0,133

TABOR/G400
G40.204

Pcs 1
Kg 27,9
mc 0,230

TABOR OFIR/G400 2L
G40.204.R20

Pcs 1
Kg 33,2
mc 0,347

TABOR OFIR/G400 3L
G40.204.R30

Pcs 1
Kg 36
mc 0,429

COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

HOREB/GLOBE 400 CLASSIC

LARGE SIZE



HOREB ADAM/G400 1L
G40.207.M10

Pcs 1
Kg 32,2
mc 0,310

735

3630

Ø 400

1

LOT/G400
G40.113

Pcs 2
Kg 6,5
mc 0,152

Ø 400

710

Ø 190

SICHEM/G400
G40.121

Pcs 2
Kg 5,3
mc 0,133

960

Ø 400

HOREB ADAM/G400 2L
G40.207.M20

Pcs 1
Kg 35,7
mc 0,378

Ø 400

4190

2

HOREB/G400
G40.207

Pcs 1
Kg 30,3
mc 0,256

Ø 400

4020

Ø 275

HOREB ADAM/G400 3+1
G40.207.M31

Pcs 1
Kg 41,6
mc 0,545

1280

Ø 400

4240

Ø 275

3+1

HOREB ADAM/G400 2+1
G40.207.M21

Pcs 1
Kg 38
mc 0,447

1300

Ø 400

4240

2+1

HOREB ADAM/G400 3L
G40.207.M30

Pcs 1
Kg 39,4
mc 0,477

1280

Ø 400

4190

3

COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

KARMELO 3000/GLOBE 400 CLASSIC

LARGE SIZE



G40.231.R20



G40.231.R30



G40.231



MADE IN ITALY



KARMEL 3000/G400
G40.231

Pcs 1
Kg 27,9
mc 0,230

Ø 400

3520

Ø 275

KARMEL 3000 OFIR/G400 2L
G40.231.R20

Pcs 1
Kg 33,2
mc 0,347

920

Ø 400

3620

2

Ø 275

KARMEL 3000 OFIR/G400 3L
G40.231.R30

Pcs 1
Kg 36
mc 0,429

960

Ø 400

3620

3

Ø 275

COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

KARMEL 3500-4000/GLOBE 400 CLASSIC

LARGE SIZE



G40.234.M20



G40.171



G40.234



MADE IN ITALY



KARMEL 3500 ADAM/G400 1L	KARMEL 4000 ADAM/G400 1L
G40.234.M10	G40.237.M10
Pcs 1 Kg 32,2 mc 0,310	Pcs 1 Kg 34,7 mc 0,407

EVA/G400 2L
G40.181
Pcs 1 Kg 79 mc 0,353

KARMEL 3500 ADAM/G400 3L	KARMEL 4000 ADAM/G400 3L
G40.234.M30	G40.237.M30
Pcs 1 Kg 39,4 mc 0,477	Pcs 1 Kg 41,9 mc 0,482

KARMEL 3500/G400	KARMEL 4000/G400
G40.234	G40.237
Pcs 1 Kg 30,3 mc 0,256	Pcs 1 Kg 32,8 mc 0,283

KARMEL 3500 ADAM/G400 2+1	KARMEL 4000 ADAM/G400 2+1
G40.234.M21	G40.237.M21
Pcs 1 Kg 38 mc 0,420	Pcs 1 Kg 40,5 mc 0,545

KARMEL 3500 ADAM/G400 3+1	KARMEL 4000 ADAM/G400 3+1
G40.234.M31	G40.237.M31
Pcs 1 Kg 41,6 mc 0,502	Pcs 1 Kg 44,1 mc 0,545

KARMEL 3500 ADAM/G400 2L	KARMEL 4000 ADAM/G400 2L
G40.234.M20	G40.237.M20
Pcs 1 Kg 35,7 mc 0,378	Pcs 1 Kg 38,2 mc 0,400

COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

GIONA 4000/GLOBE 400 CLASSIC

LARGE SIZE



G40.221.M21



G40.221.M30



GIONA 4000 ADAM/G400 1L
G40.221.M10

Pcs 1
Kg 59,2
mc 0,897

700

400

4090

1

GIONA 4000 ADAM/G400 3+1
G40.221.M31

Pcs 1
Kg 69,1
mc 1,32

1200

400

4740

3+1

GIONA 4000 ADAM/G400 2L
G40.221.M20

Pcs 1
Kg 63
mc 0,965

1300

400

2

4690

GIONA 4000 ADAM/G400 2+1
G40.221.M21

Pcs 1
Kg 65,3
mc 1,034

1300

400

2+1

4740

GIONA 4000 ADAM/G400 3L
G40.221.M30

Pcs 1
Kg 66,7
mc 1,064

1200

400

3

4690