

COMPANY UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES

VIVI 400 HIGH POWER LED

LARGE SIZE



Modern luminaries made in shockproof resin material, UV rays stabilized, rust and corrosion-free. Suitable for post top, wall and hanging installation. Provided with reflective ceiling designed to host the lighting source and equipped with TÜV-CB certified, long-life and efficient **E27 high power LED lamp included.** Insulation class II, Protection rating IP65.

Diffusore moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo, a sospensione o a parete. Provvisto di soffitto riflettente progettato per accogliere la sorgente luminosa e fornito completo di lampada a LED E27 ad ALTA POTENZA, certificata TÜV-CB di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP65.



V50.000.H1L

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°

90% HUMIDITY


VOLTAGE SURGE RESISTANT



DRIVER SILICONE PROTECTION



MADE IN ITALY



VIVI 400 HIGH POWER LED - COMPONENTS

IP65



ROOF made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

TETTO realizzato in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

High temperature resistant reflective **CEILING** made of shockproof resin material. Provided with E27 lampholder and equipped with **HIGH POWER LED lamp**. Designed to host and protect the lighting source, granting its safe and quick installation.

SOFFITTO riflettente realizzato in resina antiurto ad alta resistenza al calore. Fornito completo di portalamпада E27 e provvisto di **lampada a LED ad ALTA POTENZA**. Progettato per accogliere e proteggere la sorgente luminosa e per garantirne una veloce e sicura installazione.

DIFFUSER made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only, available in clear or opal colour.

DIFFUSORE realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV, un pezzo unico, disponibile in colore trasparente o opale.

Decorative connection **RING** to be fixed on the luminaires diffuser.

ANELLO decorativo di connessione da fissare sul diffusore dell'apparecchio.

VIVI 400 HIGH POWER LED

V50.000 *



Dimensions and weight

Height: 420 mm
Diameter: 480 mm
Weight: 4,2 Kg
Junction to support: Ø 60 mm
Area expose to wind pressure: CxS = m² 0,1449

Moulded colours:

Black White Grey

Diffuser PMMA:

Clear Opal

HIGH POWER LED



- **COST SAVING:** long-life and efficient LED light source.
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** E27 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

Luminaries equipped with TÜV-CB certified, long-life and efficient **E27 high power LED lamp**, granting the same luminous flux of traditional SON/HQI lighting sources. The lamp can be quickly and easily replaced, making the luminaries maintenance very simple.



		100 - 240 V		*ADD. SUFFIX	
E27		30 W	3500 Lm	4000 K	.Q1L
				3000 K	.Q1R
E27		50 W	5300 Lm	4000 K	.H1L
				3000 K	.H1R

LED LAMPS



Technical details on page 552.

PHOTOMETRIC DATA SAMPLE - VIVI 400 HIGH POWER LED



SAVE -40%
HIGH POWER LED 50W
(power consumption)
 Area: 10x10mt
 Height: 3,5mt
28 lux

=

HQI 70W
power consumption = 84W

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE


COMPANY UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES

VIVI 400

LARGE SIZE



MADE IN ITALY



LUIGI 400-DR
L41.128

Pcs 1
Kg 4,2
mc 0,09

*rope not included

NEW LOT/VIVI400
V50.115

Pcs 1
Kg 5,2
mc 0,071

VIVI 400
V50.000

Pcs 1
Kg 4,9
mc 0,09

MIDIPIALAR/VIVI400
V50.254

Pcs 1
Kg 5,5
mc 0,092

MARIO/VIVI400
V50.129

Pcs 1
Kg 5,2
mc 0,07

*rope not included

EKTOR 4000 MIDIPIALAR/VIVI400 1L	AKILLE 4000 MIDIPIALAR/VIVI400 1L
V50.371.A10	V50.421.A10
Pcs 1 Kg 41 mc 0,314	
EKTOR 3500 MIDIPIALAR/VIVI400 1L	AKILLE 3500 MIDIPIALAR/VIVI400 1L
V50.367.A10	V50.417.A10
Pcs 1 Kg 37,5 mc 0,284	

EKTOR 2500 MIDIPIALAR/VIVI400 1L
V50.361.A10

Pcs 1
Kg 30,6
mc 0,235

Ø 265

EKTOR 3000 MIDIPIALAR/VIVI400 1L	AKILLE 3000 MIDIPIALAR/VIVI400 1L
V50.364.A10	V50.414.A10
Pcs 1 Kg 34 mc 0,262	


Ø 265

Ø 265


COMPANY
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BOLLARD
BULKHEAD
GARDEN
URBAN CLASSIC
URBAN MODERN
POST
LAMPS
REFERENCES

VIVI 400

LARGE SIZE



MADE IN ITALY



EKTOR 2500 MIDIPILAR/VIVI400 3L
V50.361.A30

Pcs 1
Kg 42
mc 0,497

1135

2755

Ø 265

EKTOR 2500 MIDIPILAR/VIVI400 2L
V50.361.A20

Pcs 1
Kg 86,2
mc 0,306

1220

2755

Ø 265

EKTOR 4000 MIDIPILAR/VIVI400 2L V50.371.A20	AKILLE 4000 MIDIPILAR/VIVI400 2L V50.421.A20
Pcs 1 Kg 46,5 mc 0,385	
EKTOR 3500 MIDIPILAR/VIVI400 2L V50.367.A20	AKILLE 3500 MIDIPILAR/VIVI400 2L V50.417.A20
Pcs 1 Kg 43 mc 0,358	
EKTOR 3000 MIDIPILAR/VIVI400 2L V50.364.A20	AKILLE 3000 MIDIPILAR/VIVI400 2L V50.414.A20
Pcs 1 Kg 39,6 mc 0,332	

1220

4255
3755
3255

EKTOR3000 AKILLE4000

Ø 265

EKTOR 4000 MIDIPILAR/VIVI400 3L V50.371.A30	AKILLE 4000 MIDIPILAR/VIVI400 3L V50.421.A30
Pcs 1 Kg 52 mc 0,576	
EKTOR 3500 MIDIPILAR/VIVI400 3L V50.367.A30	AKILLE 3500 MIDIPILAR/VIVI400 3L V50.417.A30
Pcs 1 Kg 48,6 mc 0,55	
EKTOR 3000 MIDIPILAR/VIVI400 3L V50.364.A30	AKILLE 3000 MIDIPILAR/VIVI400 3L V50.414.A30
Pcs 1 Kg 45,2 mc 0,523	

1135

4255
3755
3255

EKTOR4000 AKILLE3000

Ø 265