



# MASTER TL-D Food

## MASTER TL-D Food 30W/79 SLV/25

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.

### Product data

General Information	
Cap-Base	G13 [ Medium Bi-Pin Fluorescent]
Life to 50% Failures (Nom)	15000 h
Life to 50% Failures Preheat (Nom)	20000 h

Light Technical	
Color Code	79
Luminous Flux (Nom)	1300 lm
Color Designation	Food
Lumen Maintenance 2000 h (Nom)	90 %
Lumen Maintenance 5000 h (Nom)	85 %
Chromaticity Coordinate X (Nom)	365
Chromaticity Coordinate Y (Nom)	314
Correlated Color Temperature (Nom)	3800 K
Luminous Efficacy (Rated) (Nom)	43 lm/W
Color Rendering Index (Nom)	74

Operating and Electrical	
Power (Rated) (Nom)	30.0 W
Lamp Current (Nom)	0.360 A
Voltage (Nom)	98 V

Controls and Dimming	
Dimmable	Yes

Approval and Application	
Energy Efficiency Label (EEL)	B
Mercury (Hg) Content (Nom)	5.0 mg
Energy Consumption kWh/1000 h	37 kWh


Product Data	
Full product code	871150070624940
Order product name	MASTER TL-D Food 30W/79 SLV/25
EAN/UPC - Product	8711500706249
Order code	928025402043
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	25
Material Nr. (12NC)	928025402043
Net Weight (Piece)	113.000 g
ILCOS Code	FD-30/38/2A-E-G13

# MASTER TL-D Food

## Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.



## Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Food 30W/79 SLV/25	28 mm	894.6 mm	901.7 mm	899.3 mm	908.8 mm

TL-D Food 30W/79



## Photometric data



Lightcolor /79

Lightcolor /79

## Lifetime




MASTER TL-D Food/Food Secura Life Expectancy 12 h cycle

MASTER TL-D Food/Food Secura Life Expectancy 3 h cycle

## MASTER TL-D Food

### Lifetime



MASTER TL-D Food/Food Secura Lumen Maintenance 3 h + 12 h cycle

