

Blacklight BL368 Linear T12

F40W T12 BL368 48

0000099



NOT SUITABLE FOR HOUSEHOLD ROOM ILLUMINATION

PRODUCT OVERVIEW

Product code	0000099
Product name	F40W T12 BL368 48
Technology	Fluorescent
Watt (Rated) (W)	39.50
Lamp shape	Tubular
Type	T12
Cap/Base	G13
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Certifications	EUERL008
ETIM Class	EC002962
E-number Finland	4940428
Light colour	BL368
Wattage (W)	40.00
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288000992

DATA TABLE

General data

Product code	0000099
Product name	F40W T12 BL368 48
Technology	Fluorescent
Watt (Rated) (W)	39.50
Lamp shape	Tubular
Type	T12
Cap/Base	G13

Blacklight BL368 Linear T12

F40W T12 BL368 48

0000099

Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating Temperature Range (°C)	-20°C to +40°C
Certifications	EUERL008
ETIM Class	EC002962
E-number Finland	4940428

Optical data

Ambient temperature for maximum luminous flux (°C)	25
Correlated colour temperature range (K)	UV-A lamp
Light colour	BL368
Adjustable chromaticity	N

Electrical data

Wattage (W)	40.00
Mains voltage (V)	230-240V~
Control gear required	Yes
Transformer required	No
Dimmable	No

Lifetime data

Average life (Nominal) (h)	10000
-----------------------------------	-------

Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.275

Packaging

Single packaging type	Carton
Product EAN number	5410288000992
Packaging single length (cm)	4.1
Packaging single width (cm)	4.3
Packaging single height (cm)	121.2
DUN14 (outer)	15410288000999
Units per outer package	25
Packaging outer length (cm)	124.0

Blacklight BL368 Linear T12

F40W T12 BL368 48


0000099

Packaging outer width (cm)	22.0
Packaging outer height (cm)	21.0


Safety data

Lamp mercury content (mg)	9.00
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling
Suitable for household illumination	No

TECHNICAL DRAWINGS



G13



max 25,78

