

## Aquastar T8

### F36W/T8 Aquastar

### 0002222



#### Product features

- Colour temperature 10,000K recreating the tropical light spectrum. For fresh and marine aquariums. Excellent combination with DaylighStar. Outstanding results in combination with Daylightstar.



#### PRODUCT OVERVIEW

Product code	0002222
Product name	F36W/T8 Aquastar
Technology	Fluorescent
Watt (Rated) (W)	36.00
Lamp shape	Tubular
Type	T8
Cap/Base	G13
Lamp finish	Coated
Fixture rating	Open
General application	Hospitality, Retail, Residential & Consumer
Certifications	00
ETIM Class	EC000108
E-number Finland	4943015
E-number Sweden	8356654
Luminous flux (lm)	2200
Colour temperature (K)	10000
Light colour	10000 Aquastar
Wattage (W)	36.00
Product Voltage (V)	103
Dimmable	Yes
Average life (Nominal) (h)	10000
Product EAN number	5410288022222

## Aquastar T8

F36W/T8 Aquastar

### 0002222

#### DATA TABLE

##### General data

<b>Product code</b>	0002222
<b>Product name</b>	F36W/T8 Aquastar
<b>Technology</b>	Fluorescent
<b>Watt (Rated) (W)</b>	36.00
<b>Lamp shape</b>	Tubular
<b>Type</b>	T8
<b>Cap/Base</b>	G13
<b>Lamp finish</b>	Coated
<b>Fixture rating</b>	Open
<b>General application</b>	Hospitality, Retail, Residential & Consumer
<b>Operating Temperature Range (°C)</b>	-15°C to +40°C
<b>Certifications</b>	00
<b>ETIM Class</b>	EC000108
<b>E-number Finland</b>	4943015
<b>E-number Sweden</b>	8356654

##### Optical data

<b>Luminous flux (lm)</b>	2200
<b>Ambient temperature for maximum luminous flux (°C)</b>	25
<b>Colour temperature (K)</b>	10000
<b>Correlated colour temperature range (K)</b>	10000
<b>Light colour</b>	10000 Aquastar
<b>Adjustable chromaticity</b>	N

##### Electrical data

<b>Wattage (W)</b>	36.00
<b>Watt (Rated) - High frequency (W)</b>	32.00
<b>Current (A)</b>	0.430
<b>Product Voltage (V)</b>	103
<b>Control gear required</b>	Yes
<b>Transformer required</b>	No
<b>Dimmable</b>	Yes
<b>Drive current (mA)</b>	430

##### Lifetime data

<b>Average life (Nominal) (h)</b>	10000
<b>Average life (Rated) (h)</b>	10000

## Aquastar T8

### F36W/T8 Aquastar

### 0002222

#### Physical data

<b>Nominal Product Length (mm)</b>	1200.0
<b>Nominal Product Diameter (mm)</b>	26
<b>Max. Length base to base (mm) - A</b>	1199.4
<b>Length base to pin Min-Max (mm) - B</b>	1204.1-1206.5
<b>Max. Lamp Length (mm) - C/L</b>	1213.6
<b>Max. Lamp Diameter (mm) - D</b>	28.0
<b>Weight (kg)</b>	0.159

#### Packaging

<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5410288022222
<b>Packaging single length (cm)</b>	2.8
<b>Packaging single width (cm)</b>	2.9
<b>Packaging single height (cm)</b>	121.4
<b>DUN14 (outer)</b>	15410288022229
<b>Units per outer package</b>	25
<b>Packaging outer length (cm)</b>	124.0
<b>Packaging outer width (cm)</b>	15.5
<b>Packaging outer height (cm)</b>	15.0

#### Safety data

<b>Lamp mercury content (mg)</b>	2.80
<b>Breakage cleaning instructions</b>	Applicable
<b>Special purpose lamp</b>	Yes
<b>Intended purpose</b>	Fresh / Marine water aquariums
<b>Suitable for household illumination</b>	No

## TECHNICAL DRAWINGS

