

Blacklight BL368 Linear T12

F20W T12 BL368 24

0000361



PRODUCT OVERVIEW

Product code	0000361
Product name	F20W T12 BL368 24
Technology	Fluorescent
Watt (Rated) (W)	19.30
Lamp shape	Tubular
Type	T12
Cap/Base	G13
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Certifications	EUERL008
ETIM Class	EC002962
E-number Finland	4940433
Light colour	BL368
Wattage (W)	20.00
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288003610

DATA TABLE

General data

Product code	0000361
Product name	F20W T12 BL368 24
Technology	Fluorescent
Watt (Rated) (W)	19.30
Lamp shape	Tubular
Type	T12
Cap/Base	G13

Blacklight BL368 Linear T12

F20W T12 BL368 24

0000361

Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating Temperature Range (°C)	-20°C to +40°C
Certifications	EUERL008
ETIM Class	EC002962
E-number Finland	4940433

Optical data

Ambient temperature for maximum luminous flux (°C)	25
Correlated colour temperature range (K)	UV-A lamp
Light colour	BL368
Adjustable chromaticity	N

Electrical data

Wattage (W)	20.00
Watt (Rated) - High frequency (W)	13.50
Current (A)	0.37
Mains voltage (V)	230-240V~
Control gear required	Yes
Transformer required	No
Dimmable	No

Lifetime data

Average life (Nominal) (h)	10000
-----------------------------------	-------

Physical data

Nominal Product Length (mm)	600.0
Nominal Product Diameter (mm)	38
Max. Length base to base (mm) - A	589.8
Length base to pin Min-Max (mm) - B	594.5-596.9
Max. Lamp Length (mm) - C/L	604.0
Max. Lamp Diameter (mm) - D	40.5
Weight (kg)	0.133

Packaging

Single packaging type	Carton
Product EAN number	5410288003610
Packaging single length (cm)	4.1
Packaging single width (cm)	4.3
Packaging single height (cm)	60.3
DUN14 (outer)	15410288003617

Blacklight BL368 Linear T12

F20W T12 BL368 24


0000361

Units per outer package	25
Packaging outer length (cm)	63.0
Packaging outer width (cm)	22.0
Packaging outer height (cm)	21.0



Safety data

Lamp mercury content (mg)	9.00
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling
Suitable for household illumination	No

TECHNICAL DRAWINGS



G13



max 25,78

