

## Hi-Spot 95/95D Superia (PAR 38)

HS95 SU 230V 75W 30° E27 SV1

**0021231**



### PRODUCT OVERVIEW

<b>Product code</b>	0021231
<b>Product name</b>	HS95 SU 230V 75W 30° E27 SV1
<b>Technology</b>	Halogen
<b>Watt (Rated) (W)</b>	75
<b>Lamp shape</b>	PAR 30
<b>Type</b>	Hi-Spot 95/95D Superia
<b>Cap/Base</b>	E27
<b>Lamp finish</b>	Aluminium
<b>Fixture rating</b>	Open
<b>General application</b>	Hospitality, Museums & Galleries, Retail, Residential & Consumer
<b>Certifications</b>	EUTIE025
<b>ETIM Class</b>	EC000266
<b>Luminous flux (lm)</b>	640
<b>Colour temperature (K)</b>	2900
<b>Light colour</b>	829 Warm white
<b>Wattage (W)</b>	75
<b>Average life (Nominal) (h)</b>	3000
<b>Product EAN number</b>	5410288212319

### DATA TABLE

#### General data

<b>Product code</b>	0021231
<b>Product name</b>	HS95 SU 230V 75W 30° E27 SV1
<b>Technology</b>	Halogen
<b>Watt (Rated) (W)</b>	75
<b>Lamp shape</b>	PAR 30

## Hi-Spot 95/95D Superia (PAR 38)

HS95 SU 230V 75W 30° E27 SV1

**0021231**

<b>Type</b>	Hi-Spot 95/95D Superia
<b>Cap/Base</b>	E27
<b>Lamp finish</b>	Aluminium
<b>Fixture rating</b>	Open
<b>General application</b>	Hospitality, Museums & Galleries, Retail, Residential & Consumer
<b>Certifications</b>	EUTIE025
<b>ETIM Class</b>	EC000266

### Optical data

<b>Luminous flux (lm)</b>	640
<b>Luminous flux (Rated) (lm)</b>	640
<b>Colour temperature (K)</b>	2900
<b>Correlated colour temperature range (K)</b>	2900
<b>Light colour</b>	829 Warm white
<b>Adjustable chromaticity</b>	N
<b>Beam angle (Rated) (°)</b>	30
<b>Lumen maintenance at end of nominal life (%)</b>	80

### Electrical data

<b>Wattage (W)</b>	75
<b>Equivalent watt (W)</b>	86
<b>Starting time (max) (s)</b>	0
<b>Warm-up time to 60% of full light (max) (s)</b>	Instant Full Light
<b>Current (A)</b>	0.326
<b>Mains voltage (V)</b>	230V~
<b>Lamp power factor</b>	1
<b>Control gear required</b>	No
<b>No. Of switching cycles before premature failures</b>	>12000
<b>Transformer required</b>	No
<b>Lamp Energy Label (class)</b>	D
<b>Energy efficiency level</b>	D
<b>kWh per 1000 hours burning time</b>	75

### Lifetime data

<b>Average life (Nominal) (h)</b>	3000
<b>Average life (Rated) (h)</b>	3000

### Physical data

<b>Max. Lamp Diameter (mm) - D</b>	95
<b>Weight (kg)</b>	0.178

## Hi-Spot 95/95D Superia (PAR 38)

HS95 SU 230V 75W 30° E27 SV1

**0021231**


### Packaging

<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5410288212319
<b>Packaging single length (cm)</b>	8.6
<b>Packaging single width (cm)</b>	8.6
<b>Packaging single height (cm)</b>	9.6
<b>DUN14 (outer)</b>	15410288212316
<b>Units per outer package</b>	15
<b>Packaging outer length (cm)</b>	48.0
<b>Packaging outer width (cm)</b>	28.5
<b>Packaging outer height (cm)</b>	11.0

### Safety data

<b>Breakage cleaning instructions</b>	Not applicable
<b>Recommendation for disposal at end of life</b>	Not Applicable
<b>Special purpose lamp</b>	No
<b>Intended purpose</b>	General lighting
<b>Suitable for household illumination</b>	No
<b>Suitable for accent lighting</b>	Yes

## TECHNICAL DRAWINGS



## Hi-Spot 95/95D Superia (PAR 38)

HS95 SU 230V 75W 30° E27 SV1

**0021231**

