


Blacklight BL368 Compact

Lynx-s 9W BL368

0025411



PRODUCT OVERVIEW

Product code	0025411
Product name	Lynx-s 9W BL368
Technology	Fluorescent
Watt (Rated) (W)	9
Lamp shape	Compact
Type	Compact
Cap/Base	G23
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Certifications	00
ETIM Class	EC002962
E-number Finland	4940704
Light colour	BL368
Wattage (W)	9
Dimmable	No
Average life (Nominal) (h)	10000
Product EAN number	5410288254111

DATA TABLE

General data

Product code	0025411
Product name	Lynx-s 9W BL368
Technology	Fluorescent

Blacklight BL368 Compact

Lynx-s 9W BL368

0025411

Watt (Rated) (W)	9
Lamp shape	Compact
Type	Compact
Cap/Base	G23
Lamp finish	Coated
Fixture rating	Enclosed
General application	Hospitality, Retail, Residential & Consumer
Operating Temperature Range (°C)	-15°C to +50°C
Certifications	00
ETIM Class	EC002962
E-number Finland	4940704

Optical data

Correlated colour temperature range (K)	UV-A lamp
Light colour	BL368
Adjustable chromaticity	N

Electrical data

Wattage (W)	9
Current (A)	0.17
Mains voltage (V)	230-240V~
Control gear required	Yes
Transformer required	No
Dimmable	No

Lifetime data

Average life (Nominal) (h)	10000
-----------------------------------	-------

Physical data

Weight (kg)	0.031
--------------------	-------

Packaging

Single packaging type	Carton
Product EAN number	5410288254111
Packaging single length (cm)	17.13
Packaging single width (cm)	3.53
Packaging single height (cm)	2.03
DUN14 (inner)	25410288254115
Units per inner package	10
Packaging inner length (cm)	18.43
Packaging inner width (cm)	8.37
Packaging inner height (cm)	12.17

Blacklight BL368 Compact

Lynx-s 9W BL368




0025411

DUN14 (outer)	15410288254118
Units per outer package	100
Packaging outer length (cm)	43.2
Packaging outer width (cm)	26.3
Packaging outer height (cm)	20.8

Safety data

Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Not for general lighting purposes
Suitable for household illumination	No

PHOTOMETRY



TECHNICAL DRAWINGS

