

Ecofit Ledtubes T8

Ecofit LEDtube 1500mm 20W 865 T8 I

Upgrade to efficient, long-lasting LED tubes with the Ecofit LED tubes. Ecofit LED tubes are a fast and easy way to replace your old fluorescent tubes with modern, efficient LED technology. Good quality of light with a natural lighting effect for use in general lighting applications with low initial investment – an environmentally friendly solution.

Product data


General Information		Temperature	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Lamp Current (Nom)	155 mA
Main Application	Industrial	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Nom)	0.5 s
Switching Cycle	50000X	Power Factor (Nom)	0.5
B50L70	15000 h	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Ambient (Max)	45 °C
Beam Angle (Nom)	240 °	T-Ambient (Min)	-20 °C
Luminous Flux (Nom)	2000 lm	T-Storage (Max)	65 °C
Luminous Flux (Rated) (Nom)	2000 lm	T-Storage (Min)	-40 °C
Rated Beam Angle	240 °	T-Case Maximum (Nom)	60 °C
Correlated Color Temperature (Nom)	6500 K	Controls and Dimming	
Luminous Efficacy (rated) (Nom)	100.00 lm/W	Dimmable	No
Color Consistency	<6	Mechanical and Housing	
Color Rendering Index (Nom)	80	Bulb Material	Glass
LLMF At End Of Nominal Lifetime (Nom)	70 %	Product Length	1500 mm
Operating and Electrical		Approval and Application	
Input Frequency	50 to 60 Hz	Energy Efficiency Label (EEL)	A+
Power (Rated) (Nom)	20 W		

Ecofit Ledtubes T8

Energy Saving Product	Yes
Approval Marks	RoHS compliance CE marking KEMA Keur certificate
Energy Consumption kWh/1000 h	20 kWh
Product Data	
Full product code	871869969710500
Order product name	Ecofit LEDtube 1500mm 20W 865 T8 I

EAN/UPC - Product	8718699697105
Order code	929001338222
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	929001338222
Net Weight (Piece)	0.310 kg



Dimensional drawing



TLED 5ft 220-240V 20-57W 2000lm 6500K


Product	D1	D2	A1	A2	A3
Ecofit LEDtube 1500mm 20W 865 T8 I	25.7 mm	28 mm	1500 mm	1507.1 mm	1514.2 mm

Photometric data



LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 20W G13 865 24D ND



LEDtube Ecofit 16W G13 865 24D ND



Ecofit Ledtubes T8

Lifetime




LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

LEDtube Ecofit 16W G13 840 24D ND



LEDtube Ecofit 16W G13 840 24D ND

Ecofit Ledtubes T8

