



CorePro LEDluster

CorePro LEDluster 3-25W E14 827 P48 FR

The frosted CorePro LEDluster is designed for retrofit replacement of incandescent lamps. It is compatible with fixtures with an E27 or E14 holder. LED lamps deliver huge energy savings and minimize maintenance cost.

Product data

• General Characteristics

Cap-Base	E14
Bulb	P48
Bulb Finish	Frosted
Rated Lifetime (hours)	15000 hr
Nominal Lifetime hours	15000 hr

• Light Technical Characteristics

Color Code	827
Color Designation (text)	Warm White
Correlated Color Temperature	2700 K
Luminous Flux	250 Lm
Color rendering index	80
Luminous Efficacy Lamp	83.33 Lm/W
Color Temperature	2700 K [CCT 2700K]
Rated Luminous Flux	250 Lm
LLMF - end nominal lifetime	70 %
Colour consistency	6 steps

• Electrical Characteristics

Wattage	3 W
Voltage	220-240 V
Line Frequency	50 Hz
Power Factor	0.4 -
Lamp Current mA	35 mA
Dimmable	No
Wattage Equivalent	25 W
Rated Wattage	3.0 W

Starting Time	0.5 (max) s
Warm-up Time to 60% Light Outp	instant full light
Suitable for accent lighting	No

• Temperature Characteristics

T-case maximum	75 C
----------------	------

• Environmental characteristics

Energy Efficiency Label (EEL)	A+
Energy consumption kWh/1000h	3 kWh

• Measuring Conditions

Switching cycle	50000X
-----------------	--------

• Product Dimensions

Overall Length C	95 mm
Diameter D	48 mm

• Product Data

Order code	929001114702
Full product code	929001114702
Full product name	CorePro LEDluster 3-25W E14 827 P48 FR
Order product name	CorePro LEDluster 3-25W E14 827 P48 FR
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10




PHILIPS

CorePro LEDluster

Bar code on pack - EAN1 8718291787037
Bar code on outerbox - EAN3 8718291787044


Logistic code(s) - 12NC 929001114702
Net weight per piece 0.030 kg

Dimensional drawing




CorePro LEDluster 3-25W E14 827 P48 FR

Product	C (Nom)	D (Nom)
LED ND 3-25W E14 827 P48 FR	95	48



E14

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, August 29
data subject to change



CorePro LEDluster

CorePro LEDluster 3-25W E27 827 P48 FR

The frosted CorePro LEDluster is designed for retrofit replacement of incandescent lamps. It is compatible with fixtures with an E27 or E14 holder. LED lamps deliver huge energy savings and minimize maintenance cost.

Product data

• General Characteristics

Cap-Base	E27
Bulb	P48
Bulb Finish	Frosted
Rated Lifetime (hours)	15000 hr
Nominal Lifetime hours	15000 hr

• Light Technical Characteristics

Color Code	WW
Color Designation (text)	Warm White
Correlated Color Temperature	2700 K
Luminous Flux	250 Lm
Color rendering index	80
Luminous Efficacy Lamp	83.33 Lm/W
Color Temperature	2700 K [CCT 2700K]
Rated Luminous Flux	250 Lm
LLMF - end nominal lifetime	70 %
Colour consistency	6 steps

• Electrical Characteristics

Wattage	3 W
Voltage	220-240 V
Line Frequency	50 Hz
Power Factor	0.4 -
Lamp Current mA	35 mA
Dimmable	No
Wattage Equivalent	25 W
Rated Wattage	3.0 W

Starting Time	0.5 (max) s
Warm-up Time to 60% Light Outp	instant full light
Suitable for accent lighting	No

• Temperature Characteristics

T-case maximum	75 C
----------------	------

• Environmental characteristics

Energy Efficiency Label (EEL)	A+
Energy consumption kWh/1000h	3 kWh

• Measuring Conditions

Switching cycle	50000X
-----------------	--------

• Product Dimensions

Overall Length C	91 mm
Diameter D	48 mm

• Product Data

Order code	929001114802
Full product code	929001114802
Full product name	CorePro LEDluster 3-25W E27 827 P48 FR
Order product name	CorePro LEDluster 3-25W E27 827 P48 FR
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10




PHILIPS

CorePro LEDluster

Bar code on pack - EAN1 8718291787051
Bar code on outerbox - EAN3 8718291787068

Logistic code(s) - 12NC 929001114802
Net weight per piece 0.036 kg

Dimensional drawing




CorePro LEDluster 3-25W E27 827 P48 FR

Product	C (Norm)	D (Norm)
LED ND 3-25W E27 827 P48 FR	91	48



E27

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, August 29
data subject to change