



CorePro LEDbulbs

CorePro LEDbulb 9-60W 865 E27

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

Product data


General Information			
Cap-Base	E27 [E27]	Lamp Current (Nom)	75 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	60 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	7.5-60W	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical			
Color Code	865 [CCT of 6500K]		
Beam Angle (Nom)	200 °	Temperature	
Luminous Flux (Nom)	806 lm	T-Case Maximum (Nom)	86 °C
Luminous Flux (Rated) (Nom)	806 lm		
Color Designation	Cool Daylight	Controls and Dimming	
Correlated Color Temperature (Nom)	6500 K	Dimmable	No
Luminous Efficacy (Rated) (Nom)	107.00 lm/W		
Color Consistency	<6	Mechanical and Housing	
Color Rendering Index (Nom)	80	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical		Approval and Application	
Input Frequency	50 to 60 Hz	Energy Saving Product	Yes
Power (Rated) (Nom)	7.5 W	Suitable For Accent Lighting	No
		Energy Efficiency Label (EEL)	A+

CorePro LEDbulbs

Energy Consumption kWh/1000 h	8 kWh
Product Data	
Full product code	871869649760900
Order product name	CorePro LEDbulb 9-60W 865 E27
EAN/UPC - Product	8718696497609
Order code	929001163702

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001163702
Net Weight (Plece)	0.076 kg



Dimensional drawing




LED 9-60W E27 865

Product	D	C
CorePro LEDbulb 9-60W 865 E27	60 mm	110 mm

Photometric data



A60/ A67 E27 FR



A60 /865 FR

