



MASTER LEDtube GA

MASTER LEDtube GA300 600mm 11W 865 I

The Philips MASTER LEDtube integrates a LED light source into a traditional fluorescent form factor. Its unique design creates a perfectly uniform visual appearance which cannot be distinguished from traditional fluorescent. This product is the ideal solution for up lighting in general lighting applications.



PHILIPS

Product data

• General Characteristics

Cap-Base	G13
Life to 70% lumen maintenance	50000 hr
Average Life At Ambient 25°C	50000 hr

• Light Technical Characteristics

Color Code	865
Beam Angle	140 D
Correlated Color Temperature	6500 K
Luminous Flux	1050 Lm
Color rendering index	85

• Electrical Characteristics

Wattage	11 W
Voltage	100-240 V
Power Factor	0.9 (min) -
Lamp voltage	100-240 V

• Temperature Characteristics

T-case maximum	85 (max) C
Operating temperature	-30 (min), 45 (max) C
T-Storage	-40 (min), 65 (max) C

• Product Dimensions

Length A1	588.5 mm
Fixing Hole Distance	595.5 mm
A2 Length	

Length A3	602.5 mm
Mounting hole diameter	25.68 mm
Circular outline dimension	28 mm


• Approval & Application Chars

VDE marking	Yes
CE marking	Yes
UL certificate	No
RoHS compliance	Yes
KEMA Keur certificate	Yes

• Product Data


Order code	929000292802
Full product code	929000292802
Full product name	MASTER LEDtube GA300 600mm 11W 865 I
Order product name	MST LEDtube GA300 600mm 11W 865 I
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8718291238744
Bar code on outerbox - EAN3	8718291238751
Logistic code(s) - 12NC	929000292802
Net weight per piece	0.180 kg

Dimensional drawing



MASTER LEDtube GA300 600mm 11W 865 C

Product	A1 (Norm)	A2 (Norm)	A3 (Norm)	D1 (Norm)	D2 (Norm)
LEDtube GA300 600mm 11W/865	588.5	595.5	602.5	25.68	28



G13



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 21
data subject to change