

Softone

Softone 11W WW E27 220-240V 1PF

Energy Saving Lamp with Comfort & Design, tailor-made for customers who look for gentle soft light and elegent design, that complement the luminaires beautifully

Product data

• General Characteristics

Cap-Base E27
Bulb A55 [A 55mm]
Nominal Lifetime 10000 hr
Rated Lifetime (hours)

Rated Lifetime 10 an

(years)

• Light Technical Characteristics

Color Code 827 [CCT of 2700K] Color Rendering 81 (min) Ra8 Index Warm White Color Designation (text) 2700 K Color Temperature Color Temperature 2700 K Technical 580 Lm Luminous flux lamp Rated Luminous Flux 580 Lm Luminous Efficacy 48 Lm/W Lamp Lumen Maintenance 83 % 2000h Lumen Maintenance 70 % 6000h LLMF - end nominal 65 % lifetime Chromaticity Coor-463 dinate X Chromaticity Coor-420 -

• Electrical Characteristics

dinate Y

Rated Wattage 11.0 W

Lamp Wattage 11 W 0.6 -Power Factor 220-240 V Voltage Lamp Current mA 80 mA Line Frequency 50/60 Hz Dimmable . No 50 W Wattage Equivalent Starting Time 1.0 s Warm-up Time to 10 (min), 100 (max) s

60% Light Outp

• Environmental Characteristics

Energy Efficiency A Label (EEL)

Mercury (Hg) 1.5 (nom), 2.0 (max) mg

Content

Energy consumption 11 kWh

kWh/1000h

• Measuring Conditions

Switching cycle 30000X

Product Dimensions

 Overall Length C
 109.0 (max) mm

 Diameter D
 56.0 (max) mm

 Width F
 45.5 (max) mm

• Product Data

Order code 929689118507
Full product code 929689118507
Full product name Softone 11W WW E27 220-240V
1PF



Softone

Order product name Softone 11W WW E27 220-240V

1PF/6

Pieces per pack 1
Packing configuration 6
Packs per outerbox 6

Bar code on pack - 8718291682066

EAN1

Warnings and Safety

 Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic Bar code on 8718291682073

outerbox - EAN3

Logistic code(s) - 929689118507


12NC

Net weight per piece 0.068 kg

bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Compact fluorescent lamps have to be treated as special waste, they
must be taken to your local waste facilities for recycling. The
European Lighting Industry has set up an infrastructure, capable of
recycling mercury, other metals, glass etc.

Dimensional drawing



Softone 11W WW E27 220-240V 1PF

Product	C (Max)	D (Max)	F (Max)
Ambiance 11W WW E27 220-240V 50/60Hz	109.0	56.0	45.5



E27



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.