

Tornado T2

Tornado T2 8W WW E14 220-240V 1PF

Tornado has outstanding brightness which makes your colors appear more Vivid. It starts instantly (except 5W) and fits everywhere due to its compact design With comprehensive product range, it allows easy replacement of incandescent lamps all the way

Product data

• General Characteristics

| Cap-Base | F14 |
|------------------|----------|
| Nominal Lifetime | 10000 hr |
| Rated Lifetime | 10000 hr |
| (hours) | |
| Rated Lifetime | 10 an |
| (years) | |

• Light Technical Characteristics

| 0 | |
|--------------------------------|------------------------------------|
| Color Code Color Rendering | 827 [CCT of 2700K] 81 (min) Ra8 |
| Index | |
| Color Designation | Warm White |
| (text) Color Temperature | 2700 K |
| Color Temperature | 2700 K |
| Technical | |
| Luminous flux lamp | 505 Lm |
| Rated Luminous Flux | 505 Lm |
| Luminous Efficacy | 62 Lm/W |
| Lamp | |
| Lumen Maintenance 2000h | 88 % |
| Lumen Maintenance 6000h | 70 % |
| LLMF - end nominal lifetime | 65 % |
| Chromaticity Coor- | 463 - |
| dinate X | |
| Chromaticity Coor- dinate Y | 420 - |
| | |

• Electrical Characteristics

| Rated Wattage | 8.0 W |
|---------------|-------|
| Lamp Wattage | 8 W |

| Power Factor |
|--------------------|
| Voltage |
| Lamp Current mA |
| Line Frequency |
| Dimmable |
| Wattage Equivalent |
| Starting Time |
| Warm-up Time to |
| 60% Light Outp |

0.6 -220-240 V 60 mA 50/60 Hz No 45 W 0.3 s 5 (min), 40 (max) s

• Environmental Characteristics

| Energy Efficiency | A |
|--------------------|-------------------------|
| Label (EEL) | |
| Mercury (Hg) | 1.5 (nom), 2.0 (max) mg |
| Content | |
| Energy consumption | 8 kWh |
| kWh/1000h | |

Measuring Conditions

Switching cycle

• Product Dimensions

| Overall Length C | 96.5 (max) mm |
|------------------|---------------|
| Diameter D | 47.5 (max) mm |
| Width F | 40.5 (max) mm |

10000X

• Product Data

Order code Full product code Full product name

Order product name

929689134302 929689134302 Tornado T2 8W WW E14 220-240V 1PF Tornado T2 8W WW E14 220-240V 1PF/6



Pieces per pack1Packing configuration6Packs per outerbox6Bar code on pack -8718291117162EAN16

Warnings and Safety

• Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic

Dimensional drawing


 Bar code on outerbox - EAN3
 8718291117179

 Logistic code(s) -12NC
 929689134302

 Net weight per piece
 0.050 kg

bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Compact fluorescent lamps have to be treated as special waste, they
must be taken to your local waste facilities for recycling. The
European Lighting Industry has set up an infrastructure, capable of
recycling mercury, other metals, glass etc.



Tornado T2 8W WW E14 220-240V 1PF

| Product | C (Max) | D (Max) | F (Max) |
|---|---------|---------|---------|
| QSPIR-F Erp 8W/827 E14 220-240V 50/60Hz | 96.5 | 47.5 | 40.5 |



E14



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting