

Tornado High Lumen

Tornado High Lumen 42W WW E27 1CT

High lumen energy-saving lamp Designed for soft, cool white and cool day light Perfect energy-saving solution for mercury lamps replacement Simple installation - no ballast neededCombining superior high lumen, design & performance Energy saving lamp in spiral shape, with superior performance (instant starting, longer life, high switching) and high lumen warm bright light. Perfectly suitable to be used in places where high lumen is required, and the lamp is directly visible.

Product data

• General Characteristics

Cap-Base E27 Nominal Lifetime 10000 hr 10000 hr Rated Lifetime (hours)

Rated Lifetime

Color Code

(years)

10 an

827 [CCT of 2700K]

• Light Technical Characteristics

Color Rendering 81 (min) Ra8 Index Color Designation Warm White (text) Color Temperature 2700 K Color Temperature 2700 K Technical 3110 Lm Luminous flux lamp Rated Luminous Flux 3110 Lm Luminous Efficacy 73 Lm/W Lamp Lumen Maintenance 85 % 2000h

5000h LLMF - end nominal 70 %

lifetime

Chromaticity Coordinate X

Lumen Maintenance

Chromaticity Coor-

dinate Y

75 %

463 -

420 -

• Electrical Characteristics

Rated Wattage 42.0 W Lamp Wattage 42 W

Power Factor 220-240 V Voltage 190 mA Lamp Current mA Line Frequency 50/60 Hz Dimmable No Wattage Equivalent 200 W Starting Time 2.0 s 10 (min), 100 (max) s Warm-up Time to

• Environmental Characteristics

Energy Efficiency Label (EEL)

Mercury (Hg) 3.5 (max) mg Content 42 kWh Energy consumption

kWh/1000h

60% Light Outp

• Measuring Conditions

Switching cycle 10000X

• Product Dimensions

Overall Length C 207 (max) mm Diameter D 98 (max) mm Width F 80.3 (max) mm

• Product Data

Order code 929676002501 Full product code 929676002501

Full product name Tornado High Lumen 42W WW E27

Order product name Tornado High Lumen 42W WW E27

1CT/6



Tornado High Lumen

Pieces per pack 1
Packing configuration 6
Packs per outerbox 6

Bar code on pack - 8727900808223

EAN1

Warnings and Safety

 Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic Bar code on 8727900808230

outerbox - EAN3

Logistic code(s) - 929676002501


12NC

Net weight per piece 234.330 gr

bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Compact fluorescent lamps have to be treated as special waste, they
must be taken to your local waste facilities for recycling. The
European Lighting Industry has set up an infrastructure, capable of
recycling mercury, other metals, glass etc.

Dimensional drawing



Tornado High Lumen 42W WW E27 1CT

Product	C (Max)	D (Max)	F (Max)
EcoHL Twist 42W WW E27 220-240V 50/60Hz	207	98	80.3



E27



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.